

000-048

000-048

Rhapsody in C++

Version 3.1

000-048

QUESTION NO: 1

Which tool is used to capture requirements from a Word document?




- A. DoDAF
- B. Gateway
- C. DiffMerge
- D. ClearCase

Answer: B

QUESTION NO: 2

Which type of relation generates the template class `OMMap<Key,Concept>`?

000-048



- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

Answer: C

000-048

QUESTION NO: 3

What is used to keep a specific set of properties, stereotypes, and tags that can be used across projects?

- A. profile
- B. relation
- C. template
- D. use case

Answer: A

QUESTION NO: 4

Which template class is used when the multiplicity for a relation is * (many) and the order is not specified?

- A. OMList<Concept>
- B. OMIterator<Concept>
- C. OMMMap<Key,Concept>
- D. OMCollection<Concept>

Answer: D

QUESTION NO: 5

Which two steps should be taken before running an animated sequence diagram? (Choose two.)

- A. inject events
- B. create a base diagram





000-048

- C. open the animated diagram
- D. call the OUT_PORT macro

Answer: B,C

QUESTION NO: 6

Which symbol adds a condition mark to a sequence diagram?

- A. 
- B. 
- C. 
- D. 

- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

Answer: A

QUESTION NO: 7

From which framework class does an <<active>> object inherit the execute() operation?

000-048

- A. OMEvent
- B. OMThread
- C. OMTIMEout
- D. OMReactive

Answer: B

QUESTION NO: 8

Which statement is true about animated sequence diagrams?

- A. Events must be injected manually.
- B. Only Display sequence diagrams can be animated.
- C. Only Analysis sequence diagrams can be animated.
- D. They must be based off an existing sequence diagram.

Answer: D

QUESTION NO: 9

What is the Rhapsody-generated pointer that allows access to the arguments of an event?

- A. props
- B. params
- C. behavior
- D. itsMutex

Answer: B