

**IBM 000-120**

**Academic Associate: IBM i 7 Administration**

**Version: 5.0**

**QUESTION NO: 1**

What is the purpose of the Max Active parameter when creating or modifying a memory pool?

- A. It limits how many jobs can run concurrently.
- B. It limits the number of users which can access that memory.
- C. It limits the number of threads which can process concurrently.
- D. It limits cache availability for the subsystems assigned to the pool.

**Answer: C**

**Explanation:**

**QUESTION NO: 2**

An IBM i programmer requires access to data stored in a file located on a Windows server. Which filesystem can the programmer use to access this data?

- A. QDLS
- B. QNTC
- C. QOpenSys
- D. QFileSvr.400

**Answer: B**

**Explanation:**

**QUESTION NO: 3**

Which list contains only objects that can affect the amount of memory available to a job?

- A. Job description,  
Subsystem description,  
Routing program.
- B. Job description,  
Class description.  
Shared Pool memory pool description
- C. Job description,  
Subsystem description,  
Shared Pool memory pool description
- D. Class description,  
Subsystem description,  
Shared Pool memory pool description

**Answer: C**

**Explanation:**

**QUESTION NO: 4**

Which command provides a listing of currently active subsystems?

- A. WRKSBS
- B. WRKSBSD
- C. WRKUSRJOB
- D. WRKSYSACT

**Answer: A**

**Explanation:**

**QUESTION NO: 5**

What is the purpose of System Managed Access Path Protection (SMAPP)?

- A. To prevent excessive I/O queuing when updating access paths
- B. To automatically save file access data for security auditing
- C. To improve application run time by providing a 'short cut' to data
- D. To reduce recovery time by journaling changes in access path size and location

**Answer: D**

**Explanation:**

**QUESTION NO: 6**

An administrator restores a set of two libraries named TEST\_A and TEST\_B from a backup tape.

Several objects did not restore into library TEST\_A.

All objects restored into library TEST\_B.

The administrator reviews the job log and finds that all of the objects that failed to restore were logical files.