

IBM

Exam 000-201

Midrange Storage Technical Support Specialist V1

Version: 5.0

[Total Questions: 47]



Topic 0, A

Α

Question No : 1 - (Topic 0)

A customer's IBM System Storage DS5020 has several volumes fail over to their non-preferred path. What should the customer do prior to contacting IBM technical support?

- **A.** Save the Major Event Log (MEL)
- B. Gather Read Link Status (RLS) diagnostics
- C. Capture all support data
- **D.** Open a Critical Situation (critsit)

Answer: C

Question No : 2 - (Topic 0)

A customer wants to recover their database volumes to a point in time. Which N series features accomplish this?

- A. SnapVault and SnapRestore
- B. MetroCluster and SnapRestore
- C. SnapSched and SnapRestore
- D. SnapShot and SnapRestore

Answer: D

Question No : 3 - (Topic 0)

What are features and benefits of RSM? a. Built in firewall b. Runs on Linux and Windows servers c. Collect support data d. Allow remote maintenance e. Can support up to 50 DS5000/DS4000/DS3000 storage servers f. Minimum annual fee

- A. a,b, and e
- **B.** a,e, and f
- C. b,c, and f
- D. a,d,and e

Answer: D



Question No: 4 - (Topic 0)

Company ABC is using Metro Mirror with an Enhanced Remote Mirroring (ERM) configuration to mirror the company inventory database from headquarters to a data warehouse at a remote site. They have asked for some assistance. Due to bandwidth concerns they are planning a change the mirroring mode to Global Mirroring. What must be done to help the customer make the change?

- A. Customer must purchase two new licenses
- **B.** Break and re-establish the mirror relationship
- C. Backup the inventory data to tape
- **D.** Make the mode change in Storage Manager

Answer: D

Question No: 5 - (Topic 0)

HP resells storage from which of the following vendors?

- A. Invista, EMC
- B. EMC, EqualLogic
- C. HDS, Storageworks
- D. EqualLogic, Compellent

Answer: C

Question No: 6 - (Topic 0)

A customer is planning to purchase a N6040 Gateway with SnapManager for Exchange licensed. All available storage lies behind an SVC. Where should the N6040 be placed in the network?

- **A.** Between the SVC and the disk storage
- B. Alongside the SVC, then the email servers should be mapped to both
- C. In the place of the SVC
- D. Between the SVC and the email servers

Answer: D

Question No: 7 - (Topic 0)