

**IBM 000-573**

# **IBM Tivoli Netcool/Impact V6.1 Implementation**

**Version: 4.0**

**Topic 1, Volume A****QUESTION NO: 1**

An IBM Tivoli Netcool/Impact V6.1 system is configured to perform event enrichment by retrieving ObjectServer events which have an empty Location field. Which Service Log can be used to verify that Netcool/Impact is selecting events from the ObjectServer based upon that condition?

- A. the PolicyLogger service
- B. the PolicyActivator service
- C. the OMNibusEventReader service
- D. the OMNibusEventListener service

**Answer: C**

**Explanation:**

**QUESTION NO: 2**

Which command line function should be executed prior to applying a product fix or upgrading the IBM Tivoli Netcool/Impact Server as best practice?

- A. nci\_crypt
- B. nci\_policy
- C. nci\_trigger
- D. nci\_export

**Answer: D**

**Explanation:**

**QUESTION NO: 3**

How is the name of the IBM Tivoli Netcool/Impact Server Instance on the console identified?

- A. check the IBM Installer utility litsll.sh to show the Impact Server Instance Names that have been set up
- B. check the TIPProfile/logs/server1 directory - the SystemOutlog holds the Impact Service Instance name
- C. use the nci\_server command line utility to show the Impact Server Instance Names that have been set up
- D. check the impact/etc directory - all Impact Server Instance-related files use the Instance Name

in the beginning of every file name

**Answer: D**

**Explanation:**

#### QUESTION NO: 4

In which folder are the IBM Tivoli Netcool/Impact V6.1 service logs stored?

- A. \$NCHOME/logs
- B. \$IMPACT\_HOME/log
- C. \$IMPACT\_HOME/logs
- D. \$IMPACT\_HOME/services/logs

**Answer: C**

**Explanation:**

#### QUESTION NO: 5

A new Impact Server will be installed using the console mode of the installer application. Which statement is true?

- A. All default ports must be available.
- B. The installer will not check if the required ports are available.
- C. A starting point of ports can be selected if the default ports are not available.
- D. The installer will adapt the required ports if some are tested as in use during the installation.

**Answer: C**

**Explanation:**

#### QUESTION NO: 6

In order for IBM Tivoli Netcool/Impact V6.1 to start using the ObjectServer for authentication, the server must be configured so that it can map the roles that the application exposes to groups and/or users managed in IBM Tivoli Netcool/OMNIBus. Which file must be edited for this purpose?

- A. omnibus.conf
- B. omnibususers

- C. guiserver.setting
- D. objectserver.conf

**Answer: C**

**Explanation:**

#### QUESTION NO: 7

On a server with only command line access, the server in an IBM Tivoli Netcool/Impact cluster is identified as acting as a primary server by using which command line utility?

- A. nci\_server
- B. nci\_trigger
- C. nci\_get\_primary
- D. nci\_findendpoint

**Answer: C**

**Explanation:**

#### QUESTION NO: 8

Which component of IBM WebSphere is installed with IBM Tivoli Netcool/Impact V6.1?

- A. WebSphere MQ
- B. WebSphere Portal Server
- C. WebSphere Process Server
- D. Embedded WebSphere Application Server

**Answer: D**

**Explanation:**

#### QUESTION NO: 9

What is the purpose of a project in IBM Tivoli Netcool/Impact V6.1?

- A. It allows for creating subsets of the elements stored in the global repository.
- B. It allows for creating subsets of the elements stored in the Impact repository.
- C. It allows for creating subsets of the elements stored across cluster members.

D. It allows for creating supersets of the elements stored in the global repository.

**Answer: A**

**Explanation:**

#### QUESTION NO: 10

Which three IBM Tivoli Netcool/Impact roles in Tivoli Integrated Portal can be used to control users access to navigation pages in the GUI and to permit users to unlock their own files?

- A. impactSuperUser, impactFullAccessUser, and impactOpViewUser
- B. impactAdminUser, impactReadWriteUser, and impactOpViewUser
- C. impactAdminUser, impactFullAccessUser, and impactOpViewUser
- D. impactAdminUser, impactFullAccessUser, and impactReadOnlyUser

**Answer: C**

**Explanation:**

#### QUESTION NO: 11

Which step is required to design an IBM Tivoli Netcool/Impact V6.1 solution from stakeholder requirements?

- A. Determine if the correct Java version is installed.
- B. Create an architecture and a raw functional design of policies.
- C. Determine if enough disk space is provided on the installation servers.
- D. Interview the operational staff to determine their most efficient way to resolve a problem

**Answer: B**

**Explanation:**

#### QUESTION NO: 12

What are two ways Data Source Adapters are used in IBM Tivoli Netcool/Impact V6.1? (Choose two.)

- A. to monitor Netcool/Impact services
- B. to communicate with external data sources

- C. to extend the capabilities of Netcool/Impact
- D. to apply product fixes to the Netcool/Impact Server
- E. to start the policy logging service in Netcool/Impact

**Answer: B,C**

**Explanation:**

#### **QUESTION NO: 13**

Given only command line access, where is it verified that a newly started IBM Tivoli Netcool/Impact Server instance is registering itself as a slave or primary in a cluster?

- A. in the server.log file
- B. in the netcool.log file
- C. in the systemOut.log file
- D. using the nci\_server utility

**Answer: B**

**Explanation:**

#### **QUESTION NO: 14**

Which tool will start a policy from the command line?

- A. nci\_crypt
- B. nci\_policy
- C. nci\_trigger
- D. nci\_import

**Answer: C**

**Explanation:**

#### **QUESTION NO: 15**

What is true about the LDAP DSA?

- A. It does not support data saved in UTF-8 format.
- B. It does not retrieve information from LDAPV2/V3.

- C.** It allows IBM Tivoli Netcool/Impactto add, modify, or delete information managed by the LDAP server.
- D.** It does not allow IBM Tivoli Netcool/Impactto add, modify, or delete information managed by the LDAP server.

**Answer: D**

**Explanation:**

#### **QUESTION NO: 16**

What must occur before a data type can be defined?

- A.** Data Type service must be started
- B.** Policy Activator service is activated
- C.** Data Source definition is configured
- D.** ObjectServer Event Reader is activated

**Answer: C**

**Explanation:**

#### **QUESTION NO: 17**

What must be done to receive an IBM Tivoli Netcool/OMNibus event when a policy run raises any unknown exception?

- A.** use the action function `exceptionnameO` and add policy code to insert the event between the brackets
- B.** use `handle exceptionnameO` in the policy and add policy code to insert the event between the brackets
- C.** create an `ExceptionHandlerPolicy` that inserts the event and define this in the `Policytoggler` configuration
- D.** configure the Self-Monitoring service to log exceptions into the ObjectServer defined in the service configuration

**Answer: C**

**Explanation:**

#### **QUESTION NO: 18**

What is the minimum memory requirement for installing a Tivoli Integrated Portal profile and an IBM Tivoli Netcool/Impact profile running on the same physical machine?

- A. 2 GB
- B. 4 GB
- C. 6 GB
- D. 8 GB

**Answer: C**

**Explanation:**

#### QUESTION NO: 19

Which utility edits the installed GUI server deployment and maps the roles to the specified users?

- A. roles.[bat|sh]
- B. user-roles.[bat|sh]
- C. update-impact-roles.[bat|sh]
- D. impact-security-roles.[bat|sh]

**Answer: C**

**Explanation:**

#### QUESTION NO: 20

Which functional step should be completed when designing an IBM Tivoli Netcool/Impact V6.1 solution?

- A. write an enrichment policy
- B. develop Netcool/Impact startup scripts
- C. test high availability and fail-over scenarios
- D. determine methods of achieving customer requirements

**Answer: D**

**Explanation:**

#### QUESTION NO: 21



The log function of the Impact Policy Language (IPL) provides a convenient mechanism for generating messages during the execution of a policy. These messages can be configured to indicate success or failure of data retrieval from a data type. Which statement describes where the output from the messages can be viewed by a user?

- A. view the ObjectServer event list to find Self-Monitoring alerts
- B. use the View Service Log button in the PolicyLogger window
- C. use the View Data Type button in the data type configuration
- D. use the View Service Log button in the EventProcessor window

**Answer: B**

**Explanation:**

#### QUESTION NO: 22

The ncijrigger tool is executed with a user\_name that has no password set. Which statement is true?

- A. Use the command line with blank password.
- B. The NULL option needs to be used instead of a password.
- C. This is not possible because a user must always have a password set.
- D. The nci\_crypt tool provides a dummy encrypted password that can be used instead.

**Answer: B**

**Explanation:**

#### QUESTION NO: 23

An e-mail will be used to trigger a policy using the e-mail reader service. Which two protocols are supported? (Choose two.)

- A. ICQ
- B. POP
- C. IMAP
- D. Outlook
- E. Outlook Express

**Answer: B,C**

**Explanation:**