IBM 000-649

000-649 Rational Software Architect

Practice Test

Version 1.0

QUESTION NO: 1

Which support does RSA provide for RAS artifacts? (Choose three.)

A. imports RAS artifacts
B. browses RAS repositories
C. converts RAS assets into zip files
D. creates and packages RAS artifacts

Answer: A,B,D

QUESTION NO: 2

QUESTION NO: 3

How do you add RSA model report templates?

A. update your RSA install via the Rational Product Updater
B. create a new RSAplug-in that extends the reporting capabilities
C. add a new report template to the project that contains the model
D. create a new report template and add its corresponding report format entry in the reports.manifestfile in the reporting plug-in

Answer: D

QUESTION NO: 4

To facilitate modeling, reusable assets can be used to share _____. (Choose four.)

A. profiles
B. models
C. patterns
D. transformations
E. JAVAtest scripts

Answer: A,B,C,D

QUESTION NO: 5

What indicates the level at which a model can be partitioned?

A. Class
B. Method
C. Diagram
D. Package

Answer: D

QUESTION NO: 6

Which statement is true about Browse diagrams?

A. Browse diagrams are saved as .brx files.
B. You can change the layout of a Browse diagram.
C. Browse diagrams show all the elements of a given package.
D. Browse diagrams are driven by parameters and filters that you control.

Answer: D

QUESTION NO: 7

Which statement is true about Deployment Models?

A. Deployment Models are not supported in Rational Software Architect.
B. The Enterprise IT Design Model template includes a Deployment Model.
C. Deployment diagrams can be added to model templates to form Deployment Models.
D. The Deployment Model template and Analysis Model template both contain Deployment
 Models.

Answer: C

QUESTION NO: 8

In RSA, which type of combined fragment is used in sequence diagrams to show the details of

how one object messages another?

A. optional fragment
B. messaging fragment
C. interaction use fragment