
000-919 Informix 11.70 System Administrator

Version 3.5

000-919

Topic 1, Volume A



000-919

A. dbinfo

B. onstat
C. dbschema
D. onmachinfo
Answer: B
QUESTION NO: 4
Which onstat command will allow the gathering of statistics about the Informix Database Scheduler tasks that are currently running or scheduled to be run?
A. onstat -g dbc
B. onstat -g sch
C. onstat -g adm
D. onstat -g tsk
Answer: A
QUESTION NO: 5
What does the ovbuff field of an onstat -p output show?
A. The number of times that a buffer was read.
B. The number of times a buffer was extended.
C. The number of times that any buffer was overwritten.
D. The number of times the instance ran out of free buffers.

000-919

Answer: D
QUESTION NO: 6
Which SQL Administration API command will merge non-contiguous table extents?
A. shrink
B. defragment
C. table repack
D. merge extents
Answer: B
QUESTION NO: 7
By default, the alarm program gets executed for which event(s)?
A. All events.
B. Only for events with Severity code 1.
C. Only for events with Severity code 5.
D. Only for events with Severity code greater than 1.
Answer: D

http://certkill.com

When a SELECT statement is executed which statement is true?

QUESTION NO: 8

000-919

- A. The number and duration of the locks is dependent on the ISOLATION LEVEL.
- B. If COMMITTED READ isolation is in place then the SELECT will never encounter any locking errors.
- C. Within a transaction the database server will place row or page locks on a nonlogging table.
- D. If the SELECT is part of an UPDATE cursor then the database server will place an exclusive lock on the entire dataset.

Answer: A

QUESTION NO: 9

For a given procedure name, what is the objective of the SQL query shown below?

SELECT data
FROM sysprocbody a, sysprocedures b
WHERE a.procid = b.procid
AND b.procname = ?
AND datakey = 'T'
ORDER BY seqno;

- A. The query returns the ordered text form of the specified procedure body.
- B. The query returns the ordered compiled form of the specified procedure body.
- C. The query returns both ordered text and ordered compiled form of the specified procedure body.
- D. The query returns neither the ordered text nor the ordered compiled form of the specified procedure body.

Answer: A

Allowel . F

QUESTION NO: 10

000-919

Which statement about auditing is NOT true?

- A. You can enable auditing row updates for all rows in the table.
- B. You can enable auditing row updates just for a subset of rows in the table.
- C. You can enable auditing row updates for all rows from all tables in the database except for system catalog tables.
- D. You can enable auditing row updates for all rows from all tables in the database and for the system catalog tables.

Answer: B

QUESTION NO: 11

How is the DBSSO group determined on a Unix system with role separation?

- A. It is always the group informix.
- B. It is set using the onsecurity command line tool.
- C. It is the group that owns \$INFORMIXDIR/dbssodir.
- D. It is the group specified in the DBSSO onconfig parameter.

Answer: C


QUESTION NO: 12

Which role can create, alter, or delete trusted context objects?

- A. DBA
- B. DBSA



000-919



000-919

To enable network encryption, what two steps must the administrator complete? (Choose two.)

- A. Enter the CSM name in the sqlhosts file.
- B. Set the IFX_ENCCSM onconfig parameter to 1.
- C. Define the CSM in the concsm.cfg configuration file.
- D. Enter the CSM name in the onconfig NETTYPE parameter.
- E. Set the environment variable ENCCSMCFG to the name of the CSM.

Answer: A,C

QUESTION NO: 16

Which of the following privileges is NOT valid for a table fragment?

- A. ALL
- B. INSERT
- C. UPDATE
- D. CREATE INDEX

Answer: D

QUESTION NO: 17

Which statement regarding default roles is true?

000-919

A. An administrator can define a default role to assign only to the PUBLIC group for a particular database.

B. The privileges associated with a default role takes precedence over the privileges granted to an individual user.

C. An administrator can define a default role to assign to individual users or to the PUBLIC group for a particular database.

D. When a user connects to a database, it is necessary to use the SET ROLE DEFAULT statement in order to gain the default role privileges.

Answer: C

QUESTION NO: 18

Why do automatic checkpoints cause the database server to trigger more frequent checkpoints?

A. To avoid LRU flushes.

B. To ensure the buffer pool is always available.

C. To ensure the onstat -g ckp report is accurate.

D. To avoid transaction blocking during checkpoints.

Answer: D

QUESTION NO: 19

Which statement about the scope of UPDATE STATISTICS is true?

A. If the FOR PROCEDURE keywords are included but the name of any SPL routine is not specified, an error will be returned.



000-919

B. If the FOR TABLE keywords are used without specifying the name or synonym of a table, the database will not recalculate distributions for any table in the current database.

C. If the FOR TABLE keywords are specified with a table but without specifying a list of columns, the database server will not recalculate distributions on all of the columns of the specified table.

D. If the FOR PROCEDURE specification, Table and Column Scope, and Resolution clauses are NOT included, then the statistics are updated for every table and SPL routine in the current database.

Answer: D

QUESTION NO: 20

Which two corrective actions may be taken if following message is logged in the online message log during a failed attempt to bring an instance online? (Choose two)

18:15:44 Size of resident + virtual segments 100000KB + 60000KB > 150000KB

18:15:44 total allowed by configuration parameter SHMTOTAL

A. Decrease SHMADD

B. Increase SHMTOTAL

C. Decrease SHMBASE

D. Increase SHMVIRTSIZE

E. Decrease buffer pool size

Answer: B,E

QUESTION NO: 21

Without explicitly setting DBSPACETEMP and TEMPTABLE_NOLOG, where will temporary tables be created by default? (Choose three.)