

**000-M34**

**000-M34**

**IBM Information Management pureXML Technical Mastery**

**Test v2**

**Version: 3.0**

## 000-M34

## QUESTION NO: 1

Which query retrieves an output identical to xquery db2-fn:xmlcolumn("XMLCUSTOMER.INFO");?

- A. xquery db2-fn:sqlquery("select info from xmlcustomer");
- B. xquery count(db2-fn:xmlcolumn('XMLPRODUCT.DESCRPTION')/product[description/price < 40]);
- C. xquery db2-fn:sqlquery("select info from xmlcustomer where cid = 1002");
- D. xquery db2-fn:xmlcolumn('XMLCUSTOMER.INFO')/customerinfo[addr/city='Toronto']/name;

**Answer: A**

## QUESTION NO: 2

Which statement is FALSE about XQuery?

- A. XQuery provides the means to extract and manipulate data from XML documents.
- B. XQuery is for relational databases what SQL is for XML.
- C. XQuery provides the means to extract and manipulate any data source that can be viewed as XML.
- D. XQuery uses XPath expression syntax to address specific parts of an XML document.

**Answer: B**

## QUESTION NO: 3

Which feature of DB2 9.5 makes it simple to compress XML data because a reorg is no longer necessary?

- A. RUNSTATS
- B. cost-based optimizer
- C. Automatic Dictionary Creation (ADC)
- D. Net Search Extender (NSE)

**Answer: C**

## QUESTION NO: 4

Three of the Xquery statements below are equivalent expressions. Select the one that is not.

- A. xquery