

IBM 000-M94

**IBM InfoSphere DataStage Fundamentals Technical
Mastery Test v1
Version: 4.0**

QUESTION NO: 1

How can a Data Stage job be executed?

- A. Data Stage Administrator client only
- B. Data Stage Administrator or Director client
- C. Data Stage Director client only
- D. Data Stage Designer or Director client

Answer: D

Explanation:

QUESTION NO: 2

What types of file formats can you export the Data Stage Jobs into?

- A. TXT and XML
- B. DSX and CSV
- C. DSX and XML
- D. TXT and CSV

Answer: C

Explanation:

QUESTION NO: 3

Where can the Job Parameters be used for Data Stage parallel job development?

- A. In directory and file names
- B. In constraints and file names
- C. In constraints and derivations
- D. All of the above

Answer: D

Explanation:

QUESTION NO: 4

Using a Job Sequence, which of the following tasks CANNOT be performed?

- A. Define specific user variables and make them available within a Job Sequence.
- B. Drop a database table using a script, then start two different parallel jobs in sequence when a file appears in a specific directory.
- C. Run two different parallel jobs in sequence and use job parameters to pass different \$APT_CONFIG_FILE values for each of them.
- D. Create multiple Exception Handlers stages to handle different types of failures.

Answer: D

Explanation:

QUESTION NO: 5

A Job Sequence CANNOT contain:

- A. Transformer Stages
- B. Sequencer Stages
- C. Triggers
- D. Job Activity Stages

Answer: A

Explanation:

QUESTION NO: 6

In a Job Sequence, what is the purpose of using Checkpoints?

- A. Monitor performance and failure for each stage.
- B. Automatically restart a job.
- C. Record the log information for each trigger.
- D. Restart a job from the latest Checkpoint in case of job failures.

Answer: D

Explanation:

QUESTION NO: 7