

**IBM 000-N24**

**IBM QRadar Technical Sales Mastery Test v1**

**Version: 4.0**

**QUESTION NO: 1**

Write a regular expression that extracts only the username from the string:

Username=miths?Write a regular expression that extracts only the username from the string:

Username=?miths

- A. \?smith)\?\?smith)\
- B. Ame=?.\*?)\?Ame=?.\*?)\
- C. =\?.\*?)
- D. ame=\?.\*?)\?ame=\?.\*?)\

**Answer: D**

**Explanation:**

**QUESTION NO: 2**

Which method can be used to deliver log data to QRadar?

- A. Syslog
- B. Opsec/LEA
- C. TFTP
- D. Both A and B are correct

**Answer: D**

**Explanation:**

**QUESTION NO: 3**

Write a regular expression that extracts only the username from the string: serID: smiths

- A. rID\:\s(.\*)\s
- B. Use\:\s(.\*)\s
- C. rID\:(\d+)\s
- D. serid\:(.\*)\?serid\:(.\*)\

**Answer: A**

**Explanation:**

**QUESTION NO: 4**

What characteristic distinguishes QRadar from other SIM/SIEM solutions?

- A. QRadar is the only solution that works in a heterogeneous environment.
- B. QRadar has the best correlation engine.
- C. QRadar supports many more devices.
- D. QRadar is the only SIM/SIEM solution that natively processes flows.

**Answer: D**

**Explanation:**

**QUESTION NO: 5**

How do you add a new (supported) DSM to the system?

- A. Download the rpm to the console and use the rpm command to add it.
- B. You cannot add new DSMs to the system.
- C. Configure autoupdate on the admin tab and manually add the DSM using the rpm command on the console.
- D. Both A and C are correct.

**Answer: D**

**Explanation:**

**QUESTION NO: 6**

The only way QRadar can get asset information is by importing it from active scanners?

- A. True
- B. False

**Answer: B**

**Explanation:**

**QUESTION NO: 7**

What are the two backup options available in Q1 Radar?