

RSA

Exam 050-80-CASECURID01

RSA SecurID Certified Administrator 8.0 Exam

Version: 6.0

[Total Questions: 70]

Question No : 1

Which of the following can cause the error message "Node Secret Mismatch?"(Choose two)

- A. A user is not activated on the Agent Host.
- B. The Agent is not certified as "Secured by RSA"
- C. The Agent has been uninstalled then re-installed.
- D. The Agent is installed on an unreachable remote network node.
- E. The Node Secret file has been cleared or deleted on the Agent host.

Answer: C,E

Question No : 2

An RSA Authentication Manager Enterprise license will allow which of the following to be added to a Primary instance?

- A. multiple Replica instances
- B. Risk-Based authentication capability
- C. On-Demand authentication capability
- D. Business Continuity Option (BCO) capability

Answer: A

Question No : 3

What circumstance would allow an administrator to have read/write access to an RSA Authentication Manager database on a Replica instance?

- A. The Replica is first promoted to a Primary instance.
- B. The Replica instance is in a different domain from the Primary instance.
- C. The database service on the Replica instance is running in Offline mode.
- D. The Replica does not have a network connection to the Primary instance.

Answer: A

Question No : 4

The term "Silent Collection" refers to gathering information about a user's access and authentication patterns.

- A. True
- B. False

Answer: A

Question No : 5

Which types of administrative objects are contained within an RSA Authentication Manager Security Domain? (Choose two)

- A. Users
- B. Administrators
- C. Identity Sources
- D. Replica Instances
- E. Security Question Requirements

Answer: A,B

Question No : 6

If a user has both a Fixed Passcode and an RSA SecurID token assigned,

- A. the Fixed Passcode becomes the user's PIN by default.
- B. either the Fixed Passcode or the token may be used for authentication.
- C. the Fixed Passcode can only be used if the token status is set to 'disabled'.
- D. the user must supply their secret PIN in addition to the Fixed Passcode when authenticating.

Answer: B

Question No : 7

When adding a new Authentication Agent record to the RSA Authentication Manager database, an attempt is made to resolve the hostname of the Agent Host with its IP

Address. If the attempt fails,

- A. the administrator can override the hostname/IP Address by using the Auto-Registration option.
- B. the Agent is added to the database with a 'Pending' status until it is first used for a successful authentication.
- C. a warning is given that the hostname/IP Address cannot be resolved but the database will allow the Agent to be added.
- D. the administrator must correct the address resolution through DNS or editing the /etc/hosts file before the Agent can be added to the database.

Answer: C

Question No : 8

The Operations Console allows administrators to modify attributes defined in RADIUS dictionary files.

- A. True
- B. False

Answer: A

Question No : 9

Can multiple Identity Sources be established from the same LDAP directory?

- A. Yes, if the mapped Organizational Units (OUs) do not overlap.
- B. Yes, if duplicate attribute values do not exist in the LDAP directory.
- C. No – only one LDAP directory can be mapped to one Identity Source.
- D. Yes, if no duplicate passwords exist in the LDAP directory (unique password for each user).

Answer: A

Question No : 10