

Lotus

Exam 190-513

Using JavaScript in Domino Applications

Version: 5.0

[Total Questions: 90]

Topic 0, A

A

Question No : 1 - (Topic 0)

Danielle has written the following function, which appears in the JS Header of the ShipTo form.

```
function getkeyval()
```

```
{
```

```
<code segment>
```

```
}
```

It opens when the client clicks on the Alternate Ship To address in the Video Order form. The ShipTo form appears in a smaller window allowing the user to select a different ShipTo address for the current order.

Which one of the following best describes how to trigger the function in the ShipTo form and then close the open window?

- A. In the OnChange event of the ShipToAddress field, enter "getkeyval()".
- B. Choose Create>Hotspot>Link Hotspot. Select the HTML tab, and enter the following in the Other field: onClick="getkeyval()"
- C. Choose Create>Hotspot>Link Hotspot. Select the HTML tab, and enter the following in the Class field: onClick="getkeyval()"
- D. Create a close link on the form using passthru HTML as follows:

Close

Answer: D

Question No : 2 - (Topic 0)

Which one of the following would Jim do to set up a global variable that will hold the initial value of a field on the page?

- A. Declare and set the variable in the onClick event of the field.
- B. Declare and set the variable in the JS Header event of the form.
- C. Declare the variable in the JS Header event of the form and set the value in the onClick event of the field.
- D. Declare the variable in the JS Header event of the form and set the variable in the

onLoad event of the form.

Answer: D

Question No : 3 - (Topic 0)

When a user clicks on a button and a new window is opened, which one of the following properties refers to the parent window that has generated the new window?

- A. window.top
- B. window.self
- C. window.opener
- D. window.parent

Answer: C

Question No : 4 - (Topic 0)

Phil has some JavaScript code that he wants to add to a new form he is designing. In R4.6, he would have put this code in a field named \$\$HTMLHEAD. In which one of the following should he put it using the R5 Designer?

- A. In the same place
- B. In a field named \$\$JSHEADER
- C. In the JS Header event of the Form object
- D. In the HTML Head Content section of the Form object

Answer: C

Question No : 5 - (Topic 0)

Look at the following JavaScript code:

```
var textvalue = "This video stars Steve M....";
```

Which one of the following code lines will return the index of the first occurrence of the substring "Steve"?

- A. indexOf ("Steve");
- B. textvalue.mid("Steve");

- C. `textvalue.indexOf ("Steve");`
- D. `textvalue.substring ("Steve");`

Answer: C

Question No : 6 - (Topic 0)

Look at the following button code:

```
var x = 42;
```

```
x = "this is a string";
```

```
alert ("The value of x is " + x);
```

Which one of the following will happen when this code is run?

- A. A "Type Mismatch" error will occur when the button is clicked.
- B. A run-time JavaScript error will occur when the button is clicked.
- C. The Domino Designer will not save the form since there is an error.
- D. An alert will appear with the message "The value of x is this is a string".

Answer: D

Question No : 7 - (Topic 0)

Marjorie created the following JavaScript code segment to check whether data had been entered into a required field:

```
var frm=document.forms[0];
```

```
if(frm.LastName.value <missing code> "")
```

Which one of the following operators should she have used for the <missing code>?

- A. =
- B. ==
- C. :=
- D. is

Answer: B

Question No : 8 - (Topic 0)

Harvey has three numeric, editable fields on his form: unitprice, quantity, and total. He wants to have a button to compute the total. So far he has written:

```
theForm = document.forms[0];
```

```
theForm.total.value = theForm.quantity.value + theForm.unitprice.value;
```

Which one of the following will happen when the user enters 10 in the unitprice field and 30 in the quantity field and the button is pressed?

- A. A JavaScript error will occur.
- B. 300 will be placed in the total field.
- C. 3010 will be placed in the total field.
- D. The Domino Designer will not let Harvey save the form since the above code has an error.

Answer: C

Question No : 9 - (Topic 0)

Bahar is creating a form that will open a new window with a location object. Which one of the following describes the location object?

- A. It contains the URL of a hypertext link.
- B. It is an object under the history object.
- C. It is an object under the document object.
- D. It contains the URL of the current document.

Answer: D

Question No : 10 - (Topic 0)

Look at the following JavaScript function:

```
function clickButton
```

```
{
```

```
document.forms[0].submitMe.onClick( )  
  
}
```

Which one of the following will this function do?

- A. Run a global JavaScript function named onClick().
- B. Run the onClick event of an object named submitMe.
- C. Place the cursor in an input on the form named submitMe.
- D. Run a JavaScript function named onClick() that is on a form object named submitMe.

Answer: B

Question No : 11 - (Topic 0)

Which one of the following describes how variables are declared and typed in JavaScript?

- A. explicit initialization
loosely typed
- B. implicit declaration
loosely typed
- C. implicit declaration
strongly typed
- D. explicit declaration
strongly typed

Answer: B

Question No : 12 - (Topic 0)

Jon used the @IsMember @Function in his Notes application to search for the word "member" in a line of text. Which one of the following JavaScript string methods would allow him to do a similar thing?

- A. find()
- B. split()
- C. substr()
- D. indexOf()

Answer: D

Question No : 13 - (Topic 0)

Consider the following:

```
<INPUT TYPE=button NAME="submitBtn" VALUE="Submit" onClick  
="submitMe(this.form)">
```

Which one of the following does the JavaScript event handler do?

- A. It submits the current HTML form.
- B. It submits the current HTML page.
- C. It calls a JavaScript function called `submitMe()` and passes the form object for the current page.
- D. It calls a JavaScript function called `submitMe()` and passes the form object for the button object to the function.

Answer: D

Question No : 14 - (Topic 0)

Which one of the following designated lines has incorrect code?

```
// initialize the variables  
secsPerMin = 60; // <LINE A>  
var minsPerHour = 60;  
var hoursPerDay = 24;  
var daysPerYear = 365;  
  
// perform calculations  
var secsPerDay = secsPerMin * minsPerHour * hoursPerDay; //<LINE B>  
var secsPerYear = secsPerDay * daysPerYear;  
document.writeln("<b>There are ");  
document.writeln(secsperYear); //<LINE C>  
document.writeln(" seconds per year.</b><p>"); //<LINE D>
```

- A. <LINE A>
- B. <LINE B>
- C. <LINE C>
- D. <LINE D>

Answer: C

Question No : 15 - (Topic 0)

The following code will produce a run-time error:

```
Line 1 {  
Line 2 path=location.pathname.toLowerCase( );  
Line 3 nsfPos=path.indexOf(".nsf");  
Line 4 path=path.substring(0, nsfpos+5);  
Line 5 }
```

Which one of the following lines is incorrect?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: D

Question No : 16 - (Topic 0)

The following statements appear in a function Pat is writing to calculate how many weeks before a video is released.

```
if (numDays <= 7 ) // First Condition  
{ varMsg = "The video will be released this week";  
}
```



```
else if((numDays > 7) && (numDays <=14)) // Second Condition
{varMsg = "The video will be released in 2 weeks";
}
else if((numDays > 14) && (numDays <=21)) // Third condition
{varMsg = "The video will be released in 3 weeks";
}
else if((numDays > 21) && (numDays <=28)) // Fourth condition
{varMsg= "The video will be released in 4 weeks";
}
else {varMsg="The video will be released next month";
}
alert(varMsg);
```

When Pat tests the button that calls the function, which one of the following will occur?

- A.** If numDays = 7, the first condition will be true, varMsg will equal "The video will be released this week", and the alert statement will execute.
- B.** If numDays = 7, the first condition will be true, varMsg will equal "The video will be released this week", and then the following conditions will be tested before the alert statement is executed.
- C.** If numDays = 14, the third condition will be true, varMsg will equal "The video will be released in 3 weeks", and then the following conditions will be tested before the alert statement is executed.
- D.** If numDays = 21, the third condition will be true, varMsg will equal "The video will be released in 3 weeks", and then the following conditions will be tested before the alert statement is executed.

Answer: A

Question No : 17 - (Topic 0)

Edith wants to change a graphic whenever the user passes the cursor over the graphic in a Web browser. Which one of the following describes how she can do this?

- A.** She cannot do this; images cannot be changed.