

Oracle

Exam 1z0-067

Upgrade Oracle9i/10g/11g OCA to Oracle Database 12c OCP

Version: 6.0

[Total Questions: 176]

Question No : 1

Which two statements are true about scheduling operations in a pluggable database (PDB)?

- A. Scheduler jobs for a PDB can be defined only at the container database (CDB) level.
- B. A job defined in a PDB runs only if that PDB is open.
- C. Scheduler attribute setting is performed only at the CDB level.
- D. Scheduler objects created by users can be exported or imported using Data Pump.
- E. Scheduler jobs for a PDB can be created only by common users.

Answer: C,D

Question No : 2

A complete database backup to media is taken for your database every day. Which three actions would you take to improve backup performance?

- A. Set the backup_tape_io_slaves parameter to true.
- B. Set the dbwr_io_slaves parameter to a nonzero value if synchronous I/O is in use.
- C. Configure large pool if not already done.
- D. Remove the rate parameter, if specified, in the allocate channel command.
- E. Always use RMAN compression for tape backups rather than the compression provided by media manager.
- F. Always use synchronous I/O for the database.

Answer: B,D,F

Reference:http://docs.oracle.com/cd/B19306_01/backup.102/b14191/rcmtunin.htm

Question No : 3

For which three pieces of information can you use the RMAN list command?

- A. stored scripts in the recovery catalog
- B. available archived redo log files
- C. backup sets and image copies that are obsolete
- D. backups of tablespaces

E. backups that are marked obsolete according to the current retention policy

Answer: A,C,D

Reference:http://docs.oracle.com/cd/B19306_01/backup.102/b14192/bkup007.htm

Question No : 4

You notice performance degradation in your production Oracle 12c database. You want to know what caused this performance difference.

Which method or feature should you use?

- A. Database Replay
- B. Automatic Database Diagnostic Monitor (ADDM) Compare Period report
- C. Active Session History (ASH) report
- D. SQL Performance Analyzer

Answer: B

Reference:http://docs.oracle.com/cd/E24628_01/server.121/e17635/tdpnt_degrade.htm

Question No : 5

Which three statements are true about a job chain?

- A. It can contain a nested chain of jobs.
- B. It can be used to implement dependency-based scheduling.
- C. It cannot invoke the same program or nested chain in multiple steps in the chain.
- D. It cannot have more than one dependency.
- E. It can be executed using event-based or time-based schedules.

Answer: A,B,E

Reference:http://docs.oracle.com/cd/B28359_01/server.111/b28310/scheduse009.htm#ADMIN12459

Question No : 6

Because of logical corruption of data in a table, you want to recover the table from an RMAN backup to a specified point in time.

Examine the steps to recover this table from an RMAN backup:

1. Determine which backup contains the table that needs to be recovered.
2. Issue the recover table RMAN command with an auxiliary destination defined and the point in time specified.
3. Import the Data Pump export dump file into the auxiliary instance.
4. Create a Data Pump export dump file that contains the recovered table on a target database.

Identify the required steps in the correct order.

- A. 1, 4, 3
- B. 1, 2
- C. 1, 4, 3, 2
- D. 1, 2, 4

Answer: C

Question No : 7

Examine the command:

```
SQL> RECOVER DATABASE USING BACKUP CONTROLFILE UNTIL CANCEL;
```

In which two scenarios is this command required?

- A. The current online redo log file is missing.
- B. A data file belonging to a noncritical tablespace is missing.
- C. All the control files are missing.
- D. The database backup is older than the control file backup.
- E. All the data files are missing.

Answer: A,B

Question No : 8

Which two are prerequisites for setting up Flashback Data Archive?

- A. Fast Recovery Area should be defined.
- B. Undo retention guarantee should be enabled.
- C. Supplemental logging should be enabled.
- D. Automatic Undo Management should be enabled.
- E. All users using Flashback Data Archive should have unlimited quota on the Flashback Data Archive tablespace.
- F. The tablespace in which the Flashback Data Archive is created should have Automatic Segment Space Management (ASSM) enabled.

Answer: D,F

Reference:<http://www.oracle.com/technetwork/database/focus-areas/storage/total-recall-whitepaper-171749.pdf>(page 8)

Question No : 9

The environmental variable oracle_Base is set to /u01/app/oracle and oracle_home is set to /u01/app/oracle/product/12.1.0/db 1.

You want to check the diagnostic files created as part of the Automatic Diagnostic Repository (ADR). Examine the initialization parameters set in your database.

NAMETYPEVALUE

audit_file_deststring/u01/app/oracle/admin/eml2rep/adump

background_dump_deststring

core_dump_deststring

db_create_file_deststring

db_recovery_file_deststring/u01/app/oracle/fast_recovery_area

diagnostic_deststring

What is the location of the ADR base?

- A. It is set to /u01/app/oracle/product:/12.1.0/db_1/log.
- B. It is set to /u01/app/oracle/admin/enl2r&p/adump.
- C. It is set to /u01/app/oracle.
- D. It is set to /u01/app/oracle/flash_recovery_area.

Answer: D

Question No : 10

You want to export the pluggable database (PDB) hr_pdb1 from the multitenant container database (CDB)CDB1 and import it into the cdb2 CDB as the emp_pdb1 PDB.

Examine the list of possible steps required to perform the task:

1. Create a PDB named emp_pdb1.
2. Export the hr_pdb1 PDB by using the full clause.
3. Open the emp_pdb1 PDB.
4. Mount the emp_pdb1 PDB.
5. Synchronize the emp_pdb1 PDB in restricted mode.
6. Copy the dump file to the Data Pump directory.
7. Create a Data Pump directory in the emp_pdb1 PDB.
8. Import data into emp_pdb1 with the full and remap clauses.
9. Create the same tablespaces in emp_pdb1 as in hr_pdb1 for new local user objects.

Identify the required steps in the correct order.

- A. 2, 1, 3, 7, 6, and 8
- B. 2, 1, 4, 5, 3, 7, 6, 9, and 8

- C. 2, 1, 3, 7, 6, 9, and 8
- D. 2, 1, 3, 5, 7, 6, and 8

Answer: C

Question No : 11

You wish to create jobs to satisfy these requirements:

1. Automatically bulk load data from a flat file.
2. Rebuild indexes on the SALES table after completion of the bulk load.

How would you create these jobs?

- A. Create both jobs by using Scheduler raised events.
- B. Create both jobs using application raised events.
- C. Create one job to rebuild indexes using application raised events and another job to perform bulk load using Scheduler raised events.
- D. Create one job to rebuild indexes using Scheduler raised events and another job to perform bulk load by using events raised by the application.

Answer: D

Question No : 12

Your Oracle 12c multitenant container database (CDB) contains multiple pluggable databases (PDBs). In the PDB hr_pdb, the common user c##admin and the local user b_admin have only the connect privilege.

You create a common role c##role1 with the create table and select any table privileges.

You then execute the commands:

```
SQL> GRANT c##role1 TO c##admin CONTAINER=ALL;
```

```
SQL> CONN sys/oracle@HR_PDB as sysdba
```

```
SQL> GRANT c##role1 TO b_admin CONTAINER=CURRENT;
```

Which two statements are true?

- A. C##admin can create and select any table, and grant the c##role1 role to users only in the root container.
- B. B_admin can create and select any table in both the root container and kr_pdb.
- C. c##admin can create and select any table in the root container and all the PDBs.
- D. B_admin can create and select any table only in hr_pdb.
- E. The grant c=>role1 to b_admin command returns an error because container should be set to ALL.

Answer: C

Question No : 13

Examine the commands executed in the root container of your multitenant container database (CDB) that has multiple pluggable databases (PDBs):

```
SQL> CREATE USER c##a_admin IDENTIFIED BYorcl123;
```

```
SQL> CREATE ROLE c##role1 CONTAINER=ALL;
```

```
SQL> GRANT CREATE VIEW TO C##role1 CONTAINER=ALL;
```

```
SQL> GRANT c##role1 TO c##a_admin CONTAINER=ALL;
```

```
SQL> REVOKE c##role1 FROM c##a_admin;
```

What is the result of the revoke command?

- A. It executes successfully and the c##role1 role is revoked from the c##a_admin user only in the root container.
- B. It fails and reports an error because the container=all clause is not used.
- C. It executes successfully and the c##rocl1role is revoked from the c##a_adminuser in the root database and all the PDBs.
- D. It fails and reports an error because the comtainer=currentclause is not used.

Answer: C

Question No : 14

Examine the RMAN command:

```
RMAN> CONFIGURE ENCRYPTION FOR DATABASE ON;
```

```
RMAN> BACKUP DATABASE PLUS ARCHIVELOG;
```

Which prerequisite must be met before accomplishing the backup?

- A. The password for the encryption must be set up.
- B. Oracle wallet for the encryption must be set up.
- C. All the tablespaces in the database must be encrypted.
- D. Oracle Database Vault must be enabled.

Answer: C

Reference:http://docs.oracle.com/cd/E25054_01/backup.11111/e10642/rcmbckad.htm#CEGEJABH

Question No : 15

A database is running in archivelog mode. The database contains locally managed tablespaces. Examine the RMAN command:

```
RMAN> BACKUP
```

```
AS COMPRESSED BACKUPSET
```

```
SECTION SIZE 1024M
```

```
DATABASE;
```

Which statement is true about the execution of the command?

- A. The backup succeeds only if all the tablespaces are locally managed.
- B. The backup succeeds only if the RMAN default device for backup is set to disk.
- C. The backup fails because you cannot specify section size for a compressed backup.
- D. The backup succeeds and only the used blocks are backed up with a maximum backup piece size of 1024 MB.

Answer: D

Question No : 16

In your database, the tbs percent used parameter is set to 60 and the tbs percent free parameter is set to 20.

Which two storage-tiering actions might be automated when using Information Lifecycle Management (ILM) to automate data movement?

- A. The movement of all segments to a target tablespace with a higher degree of compression, on a different storage tier, when the source tablespace exceeds tbs percent used
- B. Setting the target tablespace to read-only after the segments are moved
- C. The movement of some segments to a target tablespace with a higher degree of compression, on a different storage tier, when the source tablespace exceeds T3S percent used
- D. Taking the target tablespace offline after the segments are moved
- E. The movement of some blocks to a target tablespace with a lower degree of compression, on a different storage tier, when the source tablespace exceeds tbs percent used

Answer: A,B

Question No : 17

You want to consolidate backup information and centrally manage backup and recovery scripts for multiple databases running in your organization.

Which two backup solutions can be used?

- A. RMAN recovery catalog
- B. RMAN Media Management Library
- C. Enterprise Manager Cloud Control
- D. Enterprise Manager Database Express
- E. Oracle Secure Backup

Answer: A