

# Cisco

# Exam 500-260

**Cisco ASA Express Security (SAEXS)** 

Version: 6.0

[ Total Questions: 50 ]

_		2.0					-
( )		sti		n	NI	$\mathbf{a}$	7
w	401-	:ЭЦ	v		17	v	-

Which three Fire POWER services features require a subscription license? (Choose three.)

- A. URL filtering
- B. AVC
- C. high availability
- **D.** AMP
- E. IPS
- F. identity visibility

Answer: A,D,E

# Question No: 2

Which application is required to enable Microsoft Active Directory identity integration for FirePOWER services?

- A. Sourcefire User Agent
- **B.** Microsoft Active Directory Manager
- C. Cisco Directory Agent
- **D.** Microsoft Active Directory Agent

**Answer: A** 

### **Question No: 3**

Which impact flag indicates that action is to be taken immediately?

- **A.** 0
- **B.** 1
- **C.** 5
- **D.** 4

**Answer: B** 

# **Question No: 4**



Refer to the exhibit.

ASA5520# show vpn-session anyconnect : 76 Username : engineer1 Index Public IP : 172.26.26.15 Assigned IP : 10.0.4.80 Protocol : Clientless SSL-Tunnel DTLS-Tunnel License : AnyConnect Premium Encryption : RC4 AES128 Hashing : SHA1 Bytes Tx : 63506 Bytes Rx : 17216 Group Policy: engineering Tunnel Group: contractor Login Time : 11:35:57 UTC Thu Jul 1 2011 : Oh: 01m:52s Duration Inactivity : Oh:00m:00s NAC Result : Unknown : 100 VLAN Mapping : Static VLAN

A NOC engineer needs to tune some postlogin parameters on an SSL VPN tunnel. From the information shown, where should the engineer navigate to, in order to find all the postlogin session parameters?

- A. "engineering" Group Policy
- B. "contractor" Connection Profile
- C. DefaultWEBVPNGroup Group Policy
- **D.** DefaultRAGroup Group Policy
- E. "engineer1" AAA/Local Users

**Answer: A** 

#### **Question No:5**

Which three policy types are configured using Fire SIGHT Management Center? (Choose three.)

- A. remote access
- B. file
- C. health
- **D.** network discovery
- E. malware
- F. access list
- G. firewall

Answer: B,C,D

Cisco 500-260: Practice Test

### **Question No: 6**

Which two Cisco ASA licensing features are correct with Cisco ASA Software Version 8.3 and later? (Choose two.)

- A. Identical licenses are not required on the primary and secondary Cisco ASA appliance.
- **B.** Cisco ASA appliances configured as failover pairs disregard the time-based activation keys.
- **C.** Time-based licenses are stackable in duration but not in capacity.
- **D.** A time-based license completely overrides the permanent license, ignoring all permanently licensed features until the time-based license is uninstalled.

Answer: A,C

## **Question No:7**

Refer to the exhibit.



Which traffic is permitted on the inside interface without any interface ACLs configured?

- A. any IP traffic input to the inside interface
- **B.** any IP traffic input to the inside interface destined to any lower security level interfaces
- **C.** only HTTP traffic input to the inside interface
- **D.** only HTTP traffic output from the inside interface
- **E.** No input traffic is permitted on the inside interface
- F. No output traffic is permitted on the inside interface

**Answer: C**