

Cisco 650-154

**ISPWS Cisco IronPort Security Professional - Web
Security**
Version: 4.1

QUESTION NO: 1 DRAG DROP

Match the configuration parameter with where it is found.

<div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">L4TM configuration</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Access Policies</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Data Security Policies</div> <div style="border: 1px solid black; padding: 2px;">Global Anti-Malware Settings</div>	
<input type="checkbox"/> Select <input type="checkbox"/> Deselect	Threat Risk Threshold
<input type="checkbox"/> Select <input type="checkbox"/> Deselect	types of malware to be blocked
<input type="checkbox"/> Select <input type="checkbox"/> Deselect	upload size limits
<input type="checkbox"/> Select <input type="checkbox"/> Deselect	Allow List

Answer:

<div style="border: 2px solid red; padding: 2px; margin-bottom: 2px;">Allow List</div> <div style="border: 2px solid red; padding: 2px; margin-bottom: 2px;">types of malware to be blocked</div> <div style="border: 2px solid red; padding: 2px; margin-bottom: 2px;">upload size limits</div> <div style="border: 2px solid red; padding: 2px;">Threat Risk Threshold</div>	<div style="border: 2px solid red; width: 20px; height: 20px; margin-bottom: 2px;"></div> <div style="border: 2px solid red; width: 20px; height: 20px; margin-bottom: 2px;"></div> <div style="border: 2px solid red; width: 20px; height: 20px; margin-bottom: 2px;"></div> <div style="border: 2px solid red; width: 20px; height: 20px;"></div>
<input type="checkbox"/> Select <input type="checkbox"/> Deselect	Threat Risk Threshold
<input type="checkbox"/> Select <input type="checkbox"/> Deselect	types of malware to be blocked
<input type="checkbox"/> Select <input type="checkbox"/> Deselect	upload size limits
<input type="checkbox"/> Select <input type="checkbox"/> Deselect	Allow List

Explanation:

Threat risk threshold – Global anti-malware settings

Types of malware to be blocked – Access policies

Upload size limit – Data security

Allow list - L4TM

QUESTION NO: 2

Per-user bandwidth limits are configured as part of what type of policy?

Select exactly 1 answer(s) from the following:

- A. user quota policies
- B. access policies
- C. AVC policies
- D. identity policies

Answer: A

Explanation:

QUESTION NO: 3

Which of the following commands is used to tune the WSA proxy caching behavior?

Select exactly 1 answer(s) from the following:

- A. webcache
- B. proxyconfig
- C. advancedproxyconfi
- D. proxy stat

Answer: C

Explanation:

QUESTION NO: 4

If authentication is enabled, which of the following is true?

Select exactly 1 answer(s) from the following:

- A. Client reports are not affected by authentication.
- B. Client reports will display both the user name and IP address of the clients.
- C. Client reports will display authenticated user names.
- D. Client reports will display the IP address of the authentication server.

Answer: C

Explanation:

QUESTION NO: 5 DRAG DROP

Match the CLI Command to the use.

test layer 3 connectivity		
display interface packet counts		
test layer 4 connectivity		
resolve host names		
Select	Deselect	netstat
Select	Deselect	nslookup
Select	Deselect	ping
Select	Deselect	telnet

Answer:

test layer 3 connectivity		
display interface packet counts		
test layer 4 connectivity		
resolve host names		
Select	Deselect	netstat
Select	Deselect	nslookup
Select	Deselect	ping
Select	Deselect	telnet

Explanation:

Netstat 2

Nslookup 4

Ping 1

telnet 3

QUESTION NO: 6

Which statement is true about WSA user authentication?

Select exactly 1 answer(s) from the following:

- A. A single WSA can have up to two authentication realms: one for LDAP and one for NTLM.
- B. WSA supports NTLM, but not LDAP.
- C. A single WSA can have multiple LDAP realms.
- D. WSA supports LDAP, but not NTLM.

Answer: C

Explanation:

QUESTION NO: 7

What is a benefit of NTLMSSP over Basic authentication?

Select exactly 1 answer(s) from the following:

- A. NTLMSSP is more secure than Basic.
- B. Basic requires re-authentication with every new domain.
- C. NTLMSSP is compatible with OpenLDAP.
- D. Basic cannot be used in transparent proxy mode.

Answer: A

Explanation:

QUESTION NO: 8

Which of the following commands is used to view the cache hit rate?

Select exactly 1 answer(s) from the following:

- A. advancedproxyconfig
- B. proxyconfig
- C. webcache
- D. proxy stat

Answer: D**Explanation:****QUESTION NO: 9 DRAG DROP**

Match the HTTP response code with the meaning or use.

used when the WSA returns EUNs	
proxy authentication request	
web server authentication request	
page not found	
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	401
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	403
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	404
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	407

Answer:

used when the 403 returns EUNs	
proxy authi 407 ion request	
web server au 401 cation request	
page: 404 ound	
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	401
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	403
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	404
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	407