

Cisco

Exam 650-756

Advanced IP NGN Architecture Field Engineer (PANGNFE)

Version: 7.2

[Total Questions: 62]

Cisco 650-756: Practice Test

Question No: 1

What are Cisco IOS XR package files called?

- A. BIN
- B. IMG
- C. RPM
- D. ISO
- E. WE
- F. PIE

Answer: F

Question No: 2

What is the purpose of the IP NGN access layer?

- A. It terminates subscriber access lines.
- **B.** It provides fast switching capability.
- **C.** It handles VPN access.
- **D.** It aggregates subscriber access.

Answer: A

Question No: 3

Which three services are included in the Cisco Evolving Service Provider Support Services model for IP NGN? (Choose three.)

- A. Cisco Assurance Services
- B. Cisco Network Optimization Services
- C. Cisco Web Resource Services
- **D.** Cisco Focused Technical Support Services
- E. Cisco Network Visibility Services

Answer: A,B,D

Question No: 4

What is the benefit of a SIP trunk?

- A. simplifies manageability
- B. allows mobile aggregation
- C. eliminates TDM interconnects
- **D.** permits addition of optical interconnects

Answer: C

Question No:5

What are the three major categories of radio access networks? (Choose three.)

- A. broadband radio access infrastructure
- **B.** Gigabit Ethernet
- C. UMTS and LTE environments
- D. WiMAX
- E. WLAN

Answer: A,C,D

Question No: 6

What are the two benefits of IPv6? (Choose two.)

- **A.** end-to-end connectivity
- **B.** long-term growth
- C. address translation
- **D.** fragmentation

Answer: A,B

Question No:7

What are the three methods of the carrier-grade IPv6 solutions? (Choose three.)

A. softwires mesh

Cisco 650-756: Practice Test

- B. IPv4 Rapid Deployment (4rd)
- C. IPv6 Rapid Deployment (6rd)
- D. NAT64/DNS64
- E. Address Family Translation AFT44

Answer: C,D,E

Question No:8

What are the two modes in which Cisco ONS XPonder can work? (Choose two.)

- **A.** Layer 2 switch
- B. pass-through
- C. transponder
- **D.** ring
- E. Layer 3 router

Answer: A,C

Question No:9

True or false: The intelligence of the network must be moved out from the core.

- **A.** True, because there are many core devices and keeping them will reduce costs.
- **B.** False, because core devices must be the fastest and support the most features.
- **C.** True, because core devices must be as fast as possible, even at the expense of features.
- **D.** False, because this would violate the basic concepts of IP NGN network structure.

Answer: C

Question No: 10

What are the three major hardware components of the ASR1000 platform? (Choose three.)

- A. RP
- B. MSFC



- C. ESP
- D. AH
- E. SPA
- F. HW1C

Answer: A,C,E

Question No: 11

Which three advantages are introduced by using the multiple levels of hierarchy inside the IPv6 address space? (Choose three.)

Cisco 650-756: Practice Test

- A. more privacy
- **B.** better manageability
- **C.** flexibility
- **D.** user diversity
- E. new functionalities

Answer: A,C,E

Question No: 12 DRAG DROP

Match the routers by their forwarding performance. (1 is the lowest and 5 is the highest.)



1.	3
2.	5
3.	1
4.	4
5.	2