

Apple

Exam 9L0-624

Mac OS X Directory Services 10.6 Exam

Version: 5.0

[Total Questions: 76]

Question No : 1

In Mac OS X v10.6, how do you enable or disable debug logging for the DirectoryService process?

- A. Enter the command `killall -USR1 DirectoryService` in Terminal.
- B. In Server Admin, select Detailed Logging in the Open Directory service pane.
- C. Enter the command `defaults write com.apple.DirectoryService LogLevel debug` in Terminal.
- D. Enter the command `serveradmin settings dirserv:loggingAttributes:logLevel = "debug"` in Terminal.

Answer: A

Question No : 2

Which command should you enter in Terminal to verify your DNS configuration?

- A. `sudo checkip -hostname`
- B. `sudo networksetup -hostname`
- C. `sudo changeip -checkhostname`
- D. `sudo serveradmin -checkhostname`

Answer: C

Question No : 3

When a Kerberos client authenticates with a kerberized service, how does the kerberized service determine that the client has a service ticket from an authentic KDC?

- A. The service ticket is signed with the KDC's public key.
- B. The service ticket is signed with the user's private key.
- C. The service ticket is encrypted with the service's public key.
- D. The service ticket is encrypted with the service's private key.

Answer: D

Question No : 4

You want to add a third-party FTP server to the Kerberos realm hosted on your Open Directory master.

Which TWO steps are required to accomplish your goal?

Choose the two best answers.

- A. Add a user principal to the keytab file on the FTP server.
- B. Add a service principal to the keytab file on the FTP server.
- C. Edit the user principals on the Open directory master to support FTP.
- D. Add a service principal for the FTP service to the KDC on the Open Directory master.
- E. Edit the user principals on the FTP server to support the realm on the Open Directory master.

Answer: B,D

Question No : 5

In Mac OS X Server v10.6, which statement about dscl is true?

- A. Dscl can edit BSD flat files.
- B. dscl shows native data types.
- C. dscl makes requests through DirectoryService.
- D. dscl edits the local directory data store without starting another process.

Answer: C

Question No : 6

A Kerberos keytab file contains

- A. public keys for a user principal
- B. public keys for the KDC principal
- C. secret keys for the client principal
- D. secret keys for the service principal

Answer: D

Question No : 7

How do you configure a Mac OS X Server v10.6 client computer to require packet signing when it accesses an active directory server?

- A. Select “Digitally sign all packets” in directory utility.
- B. Enter the command `dsconfigad-packetsigning require` in Terminal
- C. Enable “Require Active directory packet signing” in the Kerberos preferences.
- D. Enter the command `dscl localhost -create/Config/ADPacketSign require` in Terminal.

Answer: B

Question No : 8

You have set up an open directory master and a replica and verified that both are available on the network.

How do you configure a Mac OS X Server v10.6 client computer to bind to the current open directory master, and to look for the replica if the master becomes unavailable?

- A. configure the open directory master to specify the replica address using managed client settings. Then bind the client to the open directory master with directory utility.
- B. Bind the client to the open directory master. The binding process will provide the client with the address of the replica that the client will use if it cannot contact the master
- C. configure the open directory master to specify the replica address using managed client settings. Allow the master and replica to sync at least once. And then bind the client to the open directory replica.
- D. Bind the client to the open directory master. The binding process will provide the client with the address of the replica that the client will use if it cannot contact the master
- E. bind the client to the open directory replica. The binding process will provide the client with the address of the master, and the client will automatically look for the master before looking for the replica.

Answer: B

Question No : 9

A Mac OS X v10.6 client computer is configured to search both an open directory server and an active directory server for user authentication information. How does Mac OS X on the client computer perform the search?

- A. Mac OS X searches the open directory server, if the user is not found there, the user is not authenticated
- B. Mac OS X searches the open directory server first , if the user is not found there, Mac OS X searches the active directory server.
- C. Mac OS X searches the directory that is listed first in the search path. If the user is not found there, the user is not authenticated.
- D. Mac OS X searches the directory that is listed first in the search path. If the user is not found there Mac OS X searches the net directory in the search path.

Answer: D

Question No : 10

Review the screenshot of a Mac OS X v10.6 computer's search policy, then answer the QUESTION NO: below. You have configured a Mac OS X v10.6 computer as shown in the screenshot. Your network includes an Open Directory server with augmented user records, and an Active Directory server. How does Mac OS X use the augment records on the Open Directory server to supplement the user records in the Active Directory server?

- A. Mac OS X searches the Active Directory server first, and then searches the Open Directory server. If an augment record that matches the user record is found in the Open Directory server, any attributes it includes that are not in the Active Directory user record are added to the Active Directory user record by the client.
- B. Mac OS X searches the Open Directory server, and then the Open Directory server sends the query to the Active Directory server. If a matching user record is found in the Active Directory server, all attributes from the Active Directory record are added to the Open Directory augment record, and the results are returned to the client.
- C. Mac OS X searches the Active Directory server first, and then searches the Open Directory server. If a matching augment record is found in the Open Directory server, all attributes from both records are merged by the client, and attributes in the Open Directory augment record override conflicting attribute assignments in the Active Directory user record.
- D. Mac OS X searches the Open Directory server, and then the Open Directory server sends the query to the Active Directory server. If a matching user record is found in the Active Directory server, any attributes it includes that are not in the Open Directory augment record are added to the Open Directory user record, and the results are returned to the client.

Answer: A

Question No : 11