

**IBM BAS-012**

**IBM SPSS Modeler Data Analysis for Business  
Partners v2  
Version: 4.0**

**QUESTION NO: 1**

How many phases are in the CRISP-DM Process Methodology?

- A. Four
- B. Five
- C. Six
- D. Seven

**Answer: C**

**Explanation:**

**QUESTION NO: 2**

Which node can be used to impute (estimate) missing values?

- A. Data Audit node
- B. Balance node
- C. Filler node
- D. Reclassify node

**Answer: A**

**Explanation:**

**QUESTION NO: 3**

A prison system has historical data on prison inmates and wants to find what factors are related to recidivism (return to prison). What type of model would be used?

- A. Segmentation model
- B. Classification model
- C. Association model
- D. Anomaly model

**Answer: B**

**Explanation:**

**QUESTION NO: 4**

---

If a field whose measurement is defined as Continuous has no value recorded, IBM SPSS Modeler will treat it as which type of missing value?

- A. Null
- B. White Space
- C. Empty String
- D. Blank

**Answer: A**

**Explanation:**

#### **QUESTION NO: 5**

The Matrix node is used to examine the relationship between two categorical fields.

- A. True
- B. False

**Answer: A**

**Explanation:**

#### **QUESTION NO: 6**

Only Terminal nodes (Graphs, Modeling, Output, Export) have a Run button as displayed in the graphic.