

BCP-421

BCP-421

**Maintaining a BlackBerry Enterprise Server v5.0 in an
IBM Lotus Domino Environment**

Version 3.5

BCP-421

Topic 1, Volume A

QUESTION NO: 1

Which three of the following BlackBerry Enterprise Server components can be installed remotely or configured to run separately from the original instance of the BlackBerry Enterprise Server? (Choose three.)

- A. BlackBerry Router Service
- B. BlackBerry Policy Service
- C. BlackBerry Dispatcher Service
- D. BlackBerry Attachment Service
- E. BlackBerry Monitoring Service

Answer: A,D,E

QUESTION NO: 2

When performing a wireless enterprise activation, where does the activation email message come from that is delivered to the user mailbox? (Choose one.)

- A. BlackBerry MailStore Service
- B. BlackBerry Dispatcher
- C. Organizations firewall
- D. BlackBerry Infrastructure
- E. Wireless service providers network

BCP-421

Answer: D

QUESTION NO: 3

Which three of the following steps should a system administrator perform when a BlackBerry device user reports that address book synchronization between the BlackBerry device and the email application is not working? (Choose three.)

- A. Ensure desktop email application is configured to work with the server copy of the address book
- B. Ensure the user is enabled for wireless address book synchronization
- C. Ensure the user does not have any IT policies applied that would prevent wireless synchronization
- D. Ensure the user is able to browse using the BlackBerry Browser
- E. Ensure the user is able to synchronize calendar appointments wirelessly

Answer: A,B,C

QUESTION NO: 4

Which three of the following incomplete enterprise activation states can be tracked using the BlackBerry Administration Service? (Choose three.)

- A. Ongoing
- B. Pending
- C. Password Set
- D. Failed

BCP-421

E. Password Not Set

Answer: A,C,D

QUESTION NO: 5 DRAG DROP

Click the Task button to open this item. Once you have completed this item and have selected Done, you may click Next to proceed to the next item.

What is the correct message flow for an email message going from the mailbox to the BlackBerry device?

Place the steps in the correct order by dragging them from the left to the right.

| Source Header | Target Header |
|----------------------------|---------------|
| Wireless Network | place here |
| Mailbox | place here |
| BlackBerry device | place here |
| BlackBerry Router | place here |
| BlackBerry Dispatcher | place here |
| BlackBerry Infrastructure | place here |
| BlackBerry Messaging Agent | place here |

Done

Answer:

BCP-421

What is the correct message flow for an email message going from the mailbox to the BlackBerry device?

Place the steps in the correct order by dragging them from the left to the right.

Source Header

Target Header

Mailbox

BlackBerry Messaging Agent

BlackBerry Dispatcher

BlackBerry Router

BlackBerry Infrastructure

Wireless Network

BlackBerry device

Done

QUESTION NO: 6 DRAG DROP

Click the Task button to open this item. Once you have completed this item and have selected Done, you may click Next to proceed to the next item.

BCP-421

What is the correct data flow for the BlackBerry Enterprise Transporter?

Place the steps in the correct order by dragging them from the left to the right.

| Source Header | Target Header |
|---|---------------|
| Validate BlackBerry device user on domains | place here |
| Migrate BlackBerry device users | place here |
| Load BlackBerry device users from the source and destination | place here |
| Disable BlackBerry device users on the source domain | place here |
| Delete the BlackBerry device users from the source | place here |
| Create/load a manifest file that contains valid source and target BlackBerry configuration database | place here |
| Update the BlackBerry device users in the manifest | place here |
| Monitor the BlackBerry device users completion | place here |
| Migrate the Domain information to the destination | place here |

Done

Answer:

BCP-421

What is the correct data flow for the BlackBerry Enterprise Transporter?
Place the steps in the correct order by dragging them from the left to the right.

| Source Header | Target Header |
|---------------|---|
| | Create/load a manifest file that contains valid source and target BlackBerry configuration database |
| | Load BlackBerry device users from the source and destination |
| | Migrate the Domain information to the destination |
| | Source Header |
| | Validate BlackBerry device user on domains |
| | Disable BlackBerry device users on the source domain |
| | Migrate BlackBerry device users |
| | Monitor the BlackBerry device users completion |
| | Delete the BlackBerry device users from the source |
| | Update the BlackBerry device users in the manifest |

Done

QUESTION NO: 7

Which three of the following are pre-requisites for PGP encryption to be implemented in the BlackBerry Enterprise Solution? (Choose three.)

- A. Set the PGP Universal Server Address IT policy rule in the IT policy that you assign to BlackBerry device users.
- B. Instruct users to install the PGP Support Package for BlackBerry devices on their BlackBerry devices.
- C. Instruct users to install the BlackBerry Security Package tool.
- D. Instruct users to enroll with PGP when their BlackBerry devices prompt them to.

BCP-421

E. Wirelessly regenerate encryption keys from the BlackBerry device.

Answer: A,B,D

QUESTION NO: 8

At which two levels can organizer data synchronization field mappings be modified? (Choose two.)

- A. User level
- B. Server level
- C. Group level
- D. Domain level

Answer: A,D

QUESTION NO: 9

Which task must be running on a target IBM Lotus Domino server in order to support IBM Lotus Notes links? (Choose one.)

- A. BlackBerry Enterprise Server
- B. BlackBerry Router
- C. Adminp
- D. Agent Manager
- E. HTTP

BCP-421

Answer: E

QUESTION NO: 10

Assuming that the BlackBerry Monitoring Service is installed separately on its own server, on which two locations would the system administrator need to install the SNMP Service in order for the BlackBerry Monitoring Service to receive SNMP trap data from all the BlackBerry Enterprise Server components? (Choose two.)

- A. The server that hosts the BlackBerry Monitoring Service
- B. The server that hosts each remote BlackBerry Enterprise Server component
- C. The server that hosts the BlackBerry Enterprise Server
- D. The server that host the BlackBerry Monitoring Service and BlackBerry Enterprise Server
- E. The server that hosts each remote BlackBerry component and the BlackBerry Monitoring Service

Answer: B,C

QUESTION NO: 11

Which two of the following BlackBerry Enterprise Server versions for IBM Lotus Domino can be upgraded to version 5.0? (Choose two.)

- A. 2.2.7 SP7
- B. 4.0 SP5
- C. 4.0 SP7

BCP-421

D. 4.1 SP1

E. 4.1 SP2

F. 4.1 SP3

Answer: C,F

QUESTION NO: 12

A system administrator wants to install BlackBerry Enterprise Server software version 5.0 into an environment. Which two versions of IBM Lotus Domino are supported for this type of installation? (Choose two.)

A. 5

B. 6

C. 6.55

D. 7

E. 8

Answer: D,E

QUESTION NO: 13

Which of the following is the default port number that the BlackBerry Monitoring Service Trap Listener will bind to? (Choose one.) Which of the following is the default port number that the BlackBerry Monitoring Service? Trap Listener will bind to? (Choose one.)

A. 152