

Cognos

Exam BI0-132

Cognos 8 BI Metadata Model Developer

Version: 5.0

[Total Questions: 53]

Topic break down

| Topic | No. of Questions |
|------------|------------------|
| Topic 0: A | 53 |

Topic 0, A

A

Question No : 1 - (Topic 0)

In Framework Manager, if a modeler tests the Month from Time Dimension and SALE_TOTAL from Sales Fact and applies Auto Sum, which of the following is a modeler most likely to see?

- A. An XMIN on Month.
- B. An XSUM on Month.
- C. An XMIN on SALE_TOTAL.
- D. An XSUM on SALE_TOTAL.

Answer: D**Question No : 2 - (Topic 0)**

In Framework Manager, what are the minimum requirements to implement a stored procedure that expects arguments and make it available to authors?

- A. Import the stored procedure, add it as a model calculation, and then publish it as part of a package.
- B. Import the stored procedure, provide values that satisfy the procedure's arguments, retrieve a projection list and then publish it as part of a package.
- C. Import the stored procedure, use it to create a calculation in the expression editor and then publish the calculation as part of a package.
- D. Import the stored procedure, set the type to Data Modification, provide values that satisfy the procedure's arguments, retrieve a projection list and then publish it as part of a package.

Answer: B**Question No : 3 - (Topic 0)**

In Framework Manager, which of the following is a correct technique for maintaining packages?

- A. Edit the contents of a package by including or excluding model objects such as namespaces, folders, and query subjects.
- B. Publish packages to the network as well as to the content store in order to maintain

model versioning and prevent report errors.

- C. Perform an impact analysis on a package to identify the impact of changing the cardinality of a relationship between two query subjects included in the package.
- D. When publishing packages, use file system version control so that reports created based on one version of a model will always run against that same version of the model regardless of how many times the package is published.

Answer: A

Question No : 4 - (Topic 0)

When importing metadata into Framework Manager from a relational database, which of the following can be controlled by the modeler performing the import?

- A. Defining multiple connections to the data source.
- B. Specifying the usage property for generated query items.
- C. Converting inner joins in the database to outer joins in the model.
- D. Generating relationships based on existing primary and foreign key relationships in the database.

Answer: D

Question No : 5 - (Topic 0)

Which of the following components does a basic Cognos 8 stitch query consist of?

- A. SC() function, full outer join, multiple queries that each query exclusive information.
- B. SC() function, full outer join, multiple queries that query some of the same information.
- C. Coalesce function, full outer join, multiple queries that each query exclusive information.
- D. Coalesce function, full outer join, multiple queries that query some of the same information.

Answer: D

Question No : 6 - (Topic 0)

In Framework Manager, why is it recommended that modelers alter the default all-inclusive select statements of data source query subjects as little as possible?