

IBM

Exam C2170-010

IBM Cúram V6.0.4, Application Development

Version: 5.1

[Total Questions: 55]

Question No : 1

What are three effects of running a build clean server command? [Select 3]

- A. All database tables are dropped and rebuilt
- B. All generated artifacts are deleted
- C. All code table files are recompiled
- D. All application navigation files are checked and loaded
- E. All client pages that have changed since the last build are regenerated
- F. All generated and handcrafted code is compiled

Answer: B,C,F

Question No : 2

Which two of the following statements about Façade and Process classes are true? [Select 2]

- A. Façade classes may only have public methods, whereas Process classes can also have protected methods
- B. Façade classes have methods that can be invoked by the client application, whereas Process classes do not
- C. A Process class can be configured as visible to the client application if the SetClientVisible property is set to true
- D. The same operation stereotypes can be used in Façade and Process classes
- E. Façade classes form part of the Service Layer

Answer: B,D

Question No : 3

If a model contains a process class MyProcess, which two of the following class signatures are correct? [Select 2]

- A. curam.impl.MyProcess implements curam.intf.MyProcess
- B. curam.impl.MyProcess implements curam.base.MyProcess
- C. curam.impl.MyProcess extends curam.base.MyProcess
- D. curam.base.MyProcess extends curam.intf.MyProcess
- E. curam.base.MyProcess implements curam.intf.MyProcess

Answer: C,E

Question No : 4

Which of the following is a complete description of the process involved in creating a valid index in Cúram?

- A. Create a new Index class containing the index attributes and add a named association between this class and the target Entity class
- B. Create a new Struct class containing the index attributes and add a named association with stereotype index between it and the target entity class
- C. Create a new Entity class with an attribute of stereotype index and add an association with stereotype index between it and the target Entity class
- D. Create a new Association class with an attribute of stereotype index and add an association between it and the target Entity class

Answer: B

Question No : 5

Which three of the following entity stereotypes require the user to specify input parameters when modeling? [Select 3]

- A. nkread
- B. nkmodify
- C. nkreadmulti
- D. nsinsert
- E. nsremove
- F. readmulti

Answer: D,E,F

Question No : 6

Which two of the following are valid options for model-specified validations? [Select 2]

- A. Maximum_Value

- B. Maximum_Chars
- C. Minimum_Size
- D. Starts_With
- E. Ends_With

Answer: A,C

Question No : 7

Which two of the following statements about the CONNECT element are true? [Select 2]

- A. When used inside a LIST, a CONNECT element can have a TARGET element as a child element
- B. When used inside a FIELD, a CONNECT element must have at least one SOURCE, TARGET, or INITIAL as a child element
- C. The CONNECT element can be used to indicate which SERVER_INTERFACE is related to which ACTION_CONTROL
- D. The CONNECT element can have multiple TARGET elements
- E. The CONNECT element is a valid child of the PAGE element

Answer: B,E

Question No : 8

From the DefaultAppSection.sec file presented here, which of the following statements is valid?

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<sc:section
  xmlns:sc="http://www.curamssoftware.com/curam/util/client/section-config"
  id="DefaultAppSection" title="DefaultAppSection.title">

  <sc:tab id="AccountHome" >
    <sc:shortcut-panel-ref id="AccountSectionShortcuts" />
  </sc:tab>

  <sc:tab id="OrganizationHome" />

  <sc:tab id="AccountHome" />

  <sc:shortcut-panel-ref id="DefaultSectionShortcuts" />

</sc:section>
```

- A. When this section is rendered in the browser, the AccountSectionShortcuts panel will be rendered if the user visits the AccountHome tab
- B. Configuring two distinct Tab elements, both referencing AccountHome, allows Cúram to display two different account details in separate tabs at the same time
- C. This configuration will be loaded to the database without error, but an error will occur at runtime
- D. At build time an error will occur preventing the configuration from being loaded

Answer: D

Question No : 9

Examine the piece of code shown:

```
<SERVER_INTERFACE OPERATION="insertItem" CLASS="MaintainItem"
  NAME="insert_SI" PHASE="ACTION" />
<SERVER_INTERFACE OPERATION="getItems" CLASS="MaintainItem"
  NAME="getItems_SI" PHASE="DISPLAY" />

<CLUSTER TITLE="Cluster.Title">
  ...
  <FIELD>
    <CONNECT>
      <INITIAL PROPERTY="first" NAME="getItems_SI"
        HIDDEN_PROPERTY="second" />
    </CONNECT>
    <CONNECT>
      <TARGET PROPERTY="third" NAME="insert_SI" />
    </CONNECT>
  </FIELD>
  ...
</CLUSTER>
```

Which two of the following statements about this piece of code are true? [Select 2]

- A. The INITIAL element must be defined within a CONNECT element inside a FIELD element
- B. The HIDDEN_PROPERTY should have the same name as the TARGET PROPERTY
- C. A drop-down list containing the values for first and second is displayed
- D. A SOURCE element could also be added in the same field that contains the INITIAL element
- E. The PROPERTY third must be defined as a list

Answer: A,D

Question No : 10

If CLIENT_COMPONENT_ORDER= NYC, appeals, custom, service plans, which of the following statements is true?

- A. All code in the core folder is ignored, as it is not on the client_component_order path
- B. If screen.UIM exists in appeals and service plans, the one from service plans will be generated
- C. If screen.UIM exists in NYC and appeals, the one from NYC will be generated
- D. This has no effect on generated screens

Answer: C

Question No : 11

In which of the following files would a developer define the database name for his/her Cúram application?

- A. datamanager_config.xml
- B. Application.prx
- C. Bootstrap.properties
- D. ApplicationConfiguration.properties

Answer: C

Question No : 12

For which two of the following customizations is it compliant to subclass an entity? [Select 2]

- A. Add a new attribute
- B. Override an attribute
- C. Override a database operation
- D. Override a non-database (<<blank>>) operation
- E. Enable an exit point for an operation