

# IBM

## Exam C5050-285

### IBM Cloud Platform Application Development V1

Version: 6.0

[ Total Questions: 48 ]

**Question No : 1**

Which statement is true for binding services to IBM Bluemix PaaS applications?

- A. All service instances must be bound to an application.
- B. An application can bind to only one service instance of a given type.
- C. More than one application can bind to the same service instance of a given type.
- D. Two or more applications can not bind to the same service instance of a given type.

**Answer: D**

**Question No : 2**

Based on the Twelve-Factor App methodology, how should developers share common code between two Node.js applications in IBM Bluemix PaaS?

- A. duplicate the common code in each application repository
- B. use only one repository for both applications and the common code
- C. use one repository for both applications and another repository for the common code
- D. create a npm package for the common code and add the dependency to it for both applications

**Answer: B**

**Question No : 3**

Which three features are provided by IBM Bluemix DevOps Services?(Select three.)

- A. web code editor
- B. Delivery Pipeline
- C. database management
- D. application usage statistics
- E. source control management
- F. automatic unit test generation

**Answer: A,B,E**

Reference:[https://www-](https://www-304.ibm.com/partnerworld/wps/servlet/download/DownloadServlet?id=7do7u9UN5SciPCA$cnt&attachmentName=Study_Guide_C5020_285.pdf&token=MTQ1MzQwMDAwNDE0Mg)

[304.ibm.com/partnerworld/wps/servlet/download/DownloadServlet?id=7do7u9UN5SciPCA\\$cnt&attachmentName=Study\\_Guide\\_C5020\\_285.pdf&token=MTQ1MzQwMDAwNDE0Mg](https://www-304.ibm.com/partnerworld/wps/servlet/download/DownloadServlet?id=7do7u9UN5SciPCA$cnt&attachmentName=Study_Guide_C5020_285.pdf&token=MTQ1MzQwMDAwNDE0Mg)

==&locale=en\_ALL\_ZZ(page 24)

**Question No : 4**

What are the two key elements defined in an Organization in IBM Bluemix PaaS? (Select two.)

- A. Cities
- B. Users
- C. Routers
- D. Spaces
- E. Regions

**Answer: B,D**

**Explanation:**

Organizations and spaces are organizational units in the infrastructure that can store and track application resources. An organization contains domains, spaces, and users. A space contains applications and services. The default spaces are Development, Production, and Staging.

Reference: <http://www.ibm.com/developerworks/cloud/library/cl-bluemix-summary/>

**Question No : 5**

Where are objects such as images, audio and video files stored in IBM Object Storage?

- A. Group
- B. Folder
- C. Bucket
- D. Container

**Answer: D**

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSQRB8/com.ibm.spectrum.si.doc/tpch_r_storage_system_object.html)

[01.ibm.com/support/knowledgecenter/SSQRB8/com.ibm.spectrum.si.doc/tpch\\_r\\_storage\\_system\\_object.html](http://www-01.ibm.com/support/knowledgecenter/SSQRB8/com.ibm.spectrum.si.doc/tpch_r_storage_system_object.html)

**Question No : 6**

The docker search command `$ sudo docker search centos` produced the following output:

NAME DESCRIPTION STARS

OFFICIAL TRUSTED

centos Official CentOS 6 Image as of 12 April 2014 88

Which command should be issued to download the centos image?

- A. `cp docker/centos`
- B. `sudo docker push centos`
- C. `sudo docker pull centos`
- D. `sudo docker download centos`

**Answer: C**

Reference: <http://www.ibm.com/developerworks/cloud/library/cl-docker-environment-bluemix-trs/index.html>

**Question No : 7**

Which two capabilities are available in the dashDB Service Web Console to manage instances in IBM Bluemix PAAS? (Select two.)

- A. sync data from an instance of Cloudant
- B. load Comma Separated Values (CSV) from an external file
- C. load relational data directly from another instance of dashDB
- D. load relational data directly from an instance of SQL Database
- E. load time series data directly from an instance of the Time Series database

**Answer: B,E**

**Question No : 8**