

CA Technologies

Exam CAT-440

CA Performance Management r2.x Professional Exam

Version: 6.0

[Total Questions: 50]

Question No: 1

In CA Performance Center, permission groups:

- **A.** Are always read-only copies of system or custom groups.
- **B.** Are custom groups that organize managed items for data access purposes.
- **C.** Are known as context groups until they are assigned to user accounts as permission sets.
- **D.** Are used to group users who have common access requirements to selected data sources.

Answer: B

Question No: 2

CA Performance Center can be uninstalled:

- **A.** by using the Uninstall_PerformanceCenter program.
- **B.** only if you first uninstall the Event Manager and then run sudo apt-get remove.
- **C.** by using the Installation Wizard only, which will also uninstall MySQL data and temporary directories by default.
- **D.** by first uninstalling the Data Aggregator and then following the prompts that will enable you to select the database and UI-related components to remove.

Answer: A

Question No:3

When you configure tenant-aware monitoring using service tiers, you can configure change detection functionality. Why might you configure change detection?

- A. To define event thresholds
- **B.** To discover new devices in the monitored environment
- C. To configure how often the system checks for changes in device components
- **D.** To check collections have been added, changed, or removed from monitoring profiles

Answer: C

Question No: 4

You are installing the Data Repository in a clustered configuration. What is the minimum number of hosts that you can use for your cluster?

- A. Two
- B. Three
- C. Four
- **D.** Five

Answer: B

Question No: 5

You want to make sure that a custom vendor certification supports its parent family for applicable devices. Which steps should you perform? (Choose three)

- **A.** Run the soapUlopen source testing utility.
- **B.** Run a discovery to ensure that applicable devices are modeled.
- **C.** Update the appropriate metric family in the Data Aggregator UI.
- **D.** Set the logging level to DEBUG in the log4j.xml file for the Data Collector component.
- **E.** Examine the dashboard or view that uses the metrics to confirm that expected and reasonable values are being polled.

Answer: B,C,E

Question No: 6

Which statement is FALSE?

- **A.** The groups assigned to your user account determine the data you can view on dashboards.
- **B.** A best practice is to create groups to meet strategicIT objectives rather than business objectives.
- **C.** In the Groups tree, Service Provider Global Groups contain items not explicitly associated with a tenant IP domain.
- **D.** Users can use the section of the Groups tree below their permission groups to change the data context for summary or group dashboards.