

SAP

Exam C_BOWI_41

**SAP Certified Application Associate – SAP BusinessObjects Web
Intelligence 4.1**

Version: 7.0

[Total Questions: 143]

Question No : 1

Which three rules apply when you manually synchronize queries?

- A. Dimension value formats must be the same.
- B. Dimensions with different names can be merged.
- C. Dimensions with different data types can be merged.
- D. Dimensions from multiple data sources can be merged.

Answer: A,B,D

Question No : 2

Which Pos() function syntax should you use to find the location of the space in the Category string "Evening wear"?

- A. Pos([Category] , "")
- B. Pos((Category) , "")
- C. Pos([Category] ; " ")
- D. Pos({Category} ; " ")

Answer: C

Question No : 3

Which two functions could you use to concatenate the First Name and Last Name objects?

- A. =[First Name]+[Last Name]
- B. =[First Name]&[Last Name]
- C. =[First Name]||[Last Name]
- D. =Concatenation([First Name];[Last Name])
- E. =Concatenation([First Name],[Last Name])

Answer: A,D

Question No : 4

Where do you view merged dimensions?

- A. In the Report Map pane
- B. In the Available Objects pane
- C. In the Document Structure and Filters pane
- D. In the Query panel

Answer: B

Question No : 5

You want to force the calculation context for a variable in a large report with many dimensions. Which operator allows you to add a dimension to the default context?

- A. In
- B. All
- C. ForAll
- D. ForEach

Answer: D

Question No : 6

Which two statements are true of contexts?

- A. You can combine objects in different contexts.
- B. You cannot combine objects in different contexts.
- C. You can combine any object within the same context to create a query.
- D. You can combine only measures within the same context to create a query.

Answer: A,C

Question No : 7

Which four Report Elements can you select from the Templates tab of Web Intelligence?

There are 4 correct answers to this question.

- A. Data
- B. Report
- C. Tables
- D. Charts
- E. Free-standing cells

Answer: B,C,D,E

Question No : 8

Which operator should you use to control the output context of a calculation that is relevant to the different environment levels within your document?

- A. In
- B. Out
- C. ForAll
- D. ForEach

Answer: A

Question No : 9

Which two panels can you use to purge data from a BusinessObjects Web Intelligence 4.0 document (WID)?

- A. Query
- B. Report
- C. Active X
- D. Slice and Dice

Answer: A,B

Question No : 10

Which statement describes a Web Intelligence variable?

- A. A variable is a function with a name that can be modified.

- B. A variable is a universe object that can be modified.
- C. A variable is a formula with a name stored in the document.
- D. A variable is a formula with a name stored in the query.

Answer: C

Question No : 11

Which two are limitations of a detail object?

- A. It cannot be drilled on.
- B. It cannot be used in the report filter.
- C. It cannot be merged in a document.
- D. It cannot be used in the WHERE statement of the query.

Answer: A,C

Question No : 12

Which method should you use to store a Web Intelligence Rich Client document in an enterprise secured location?

- A. Save the document to the Enterprise directories
- B. Save the document to the Enterprise documents.
- C. Export the document to the Central Management Server (CMS).
- D. Export the document to the Central Configuration Manager (CCM).

Answer: C

Question No : 13

Where can you set the default universe when using Web Intelligence within InfoView?

- A. Query Panel
- B. Report Panel
- C. InfoView Options
- D. InfoView Preferences

Answer: D

Question No : 14

Why would you need to change the data source for your query?

- A. To change the universe connection of your universe
- B. To use the production universe instead of the test universe
- C. To use different objects from the universe
- D. To change the order of execution for existing queries

Answer: B

Question No : 15

Where can you set the priority options for saving a Web Intelligence document (WID) to Microsoft Excel?

- A. Web Intelligence
- B. InfoView Preferences
- C. Microsoft Excel File Options
- D. Web Intelligence Rich Client

Answer: B

Question No : 16

Which panel should you use to view a Document Summary of a BusinessObjects Web Intelligence 4.0 document (WID)?

- A. Advanced
- B. Query
- C. Active X
- D. Interactive

Answer: D

Question No : 17

Which object types can you merge when using Multi Queries in a Web Intelligence document (WID)?

- A. Dimension - Detail
- B. Measure - Measure
- C. Dimension -Measure
- D. Dimension - Dimension

Answer: D

Question No : 18

Which three statements about the If() function are correct?

- A. Values within the function must be in quotes.
- B. The function can be used to create a variable.
- C. The function can contain an aggregate function.
- D. Then and Else keywords can be used within the function instead of the semicolon.

Answer: B,C,D

Question No : 19

Which two data sources can you directly access from a Web Intelligence document (WID) using the Web Intelligence Rich Client?

- A. Universe
- B. Text File
- C. Web Service
- D. OLAP Cube

Answer: A,B

Question No : 20

Which tool do you use to edit merged objects in BusinessObjects Web Intelligence 4.0?

- A. The Data tab of the Document Properties
- B. The Edit Dimensions button on the Reporting toolbar
- C. The Merge Dimensions button on the Reporting toolbar
- D. The Object Properties in the Data tab of the Report Manager

Answer: C

Question No : 21

Which method should you use to activate "Interactive Viewing"?

- A. Preferences in Web Intelligence
- B. Preferences in InfoView
- C. In the Document Properties
- D. In the Report Properties

Answer: B

Question No : 22

You are working in the Web Intelligence Rich Client. Which two file formats can you save a document in?

- A. TXT
- B. XLS
- C. PDF
- D. CSV

Answer: B,C

Question No : 23

Which three objects represent qualifications from a local data provider?

- A. BLOB

- B. DATE
- C. TEXT
- D. NUMBER

Answer: B,C,D

Question No : 24

Which three statements are true of calculation contexts?

- A. If no context is defined the default context is assumed.
- B. You can use NoFilter() as an extended syntax keyword when using contexts.
- C. The ForEach context operator automatically takes the dimensions in the block into account.
- D. You must place parentheses around the values listed after the Where keyword when using the Where operator.

Answer: A,C,D

Question No : 25

Which two statements are true of the Web Intelligence default behavior when performing a UNION combined query method?

- A. It performs a UNION.
- B. It performs a UNION ALL.
- C. It returns all values less the duplicates.
- D. It returns all values including the duplicates.

Answer: A,C

Question No : 26

Which three types of local data files can you use to create a BusinessObjects Web Intelligence 4.0 document (WID)?

- A. TXT