

FileMaker

Exam FM0-307

Developer Essential for FileMaker 12

Version: 6.3

[Total Questions: 198]

Question No : 1

A hosted FileMaker Pro 12 file contains a text field called ColorChoice that uses global storage. User A and User B are using the file. User A runs a script that changes the value in the ColorChoice field. User A logs off and User B continues working. User B runs a script that modifies the ColorChoice field after User A has logged off.

If there is no other activity in the database, when User A logs back in, which value will User A see in the ColorChoice field?

- A. No value: the field will be empty.
- B. The last value that User A's script entered into the field.
- C. The last value that User B's script entered into the field.
- D. The last value that was saved in a session that was running on the file's host.

Answer: D

Question No : 2

Which two statements are true regarding object styles in FileMaker 12? (Choose two.)

- A. A text box will not display Hover state styles.
- B. The Alternate Record state is unique to the Body part.
- C. Only the Normal State is recognized for object styles in FileMaker Go 12.
- D. Only the Normal State will function in Table View for fields in the Body part.
- E. Hover state styles for a field will supersede Conditional Formatting styles when a mouse pointer is hovering over the field.

Answer: A,D

Question No : 3

What is possible when working with shadow fields from an External ODBC Data Source?

- A. creating a two-column value list
- B. saving formatted text (bold, italic, etc.)
- C. checking the Auto-complete using previously entered values checkbox in the Field/Control Setup dialog
- D. inserting binary data such as a PDF file, provided the field options are set to Store

container data externally

Answer: A

Question No : 4

After FileMaker Go 12 attempts to resume a previously opened database, after being in the background, which option will require a username and password to be provided?

- A. The Guest account is being used
- B. An account is being used that does not have the fmrestorelogin extended privilege
- C. An account is being used that does not have the fmreauthenticate extended privilege
- D. A file has been returned to after the time limit specified in the fmreauthenticate extended privilege
- E. A file has been returned to before the time limit specified in the fmreauthenticate extended privilege
- F. An account name and password match the account name and password set in the File Options dialog in FileMaker Pro 12

Answer: D

Question No : 5

A script executed by a FileMaker Server 12 schedule running on a Windows server exports a group of records to a tab-delimited file. The resulting file needs to be saved to the FileMaker Server Documents folder and the filename must contain a current timestamp appended to the word "orders_" (e.g. "orders__02152012065656.tab")

Which two statements are true about this situation? (Choose two.)

- A. Assuming a default installation of FileMaker Server, the resulting file will be located at: C:\Users\Administrator\Documents.
- B. Assuming a default installation of FileMaker Server, the resulting file will be located at: C:\Program Files\FileMaker\FileMaker Server\Data\Documents.
- C. When specifying the output file, use a file path that references a *variable* with the following value: "filewin:" & Get (DocumentsPath) & "orders_" & Filter (Get (CurrentTimeStamp); "0123456789") & ".tab".
- D. When specifying the output file, use a file path that references a *calculation field* with the following value: "filewin:" & Get (DocumentsPath) & "orders_" & Filter (Get (CurrentTimeStamp); "0123456789") & ".tab".
- E. When specifying the output file, use a file path that references a *variable* with the following value: "filewin:" & Get (ServerDocumentsPath) & "orders_" & Filter (Get (CurrentServerTimeStamp); "0123456789") & ".tab".

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: B,C

Question No : 6

Which statement is true of container fields in FileMaker Pro 12?

- A. A user can insert a file using Store only a reference to the file if the container is set to Store container data externally
- B. OLE objects can be inserted into container fields if the field is set for Interactive content using the Inspector in Layout mode.
- C. Files stored (not referenced) in containers fields defined to Store container data externally can be opened by a double-click in Browse mode.
- D. A container optimized for Interactive content using the Inspector in Layout mode will render HTML files as web pages in Browse mode.
- E. A container must be optimized for Interactive content using the Inspector in Layout mode to allow drag and drop insertion of files into the container.

Answer: A

Question No : 7

Which two statements are true about using Current Found Set as the data source for a chart in FileMaker Pro 12? (Choose two.)

- A. A user can generate a stacked bar chart if they specify one or more fields that contain a return-delimited list as the data series.
- B. A user can generate a scatter chart if they specify more than one Y-Axis that contains a return-delimited list as the data series.
- C. If a user selects the option Summarized groups of records, sorts the data, and puts the chart in a Trailing Grand Summary, the chart will display one data point per sort group.
- D. If a user selects the option Summarized groups of records, sorts the data by two criteria, and puts the chart in a Subsummary part based on the first sort criteria, the chart will display one data point per secondary sort group.

Answer: C,D

Question No : 8

Which statement is true about the Filter Portal Records feature in FileMaker Pro 12?

- A. The portal filter formula must refer to at least one field in the immediately related table.
- B. The feature requires one or more additional relationships to be added to the Relationships Graph.
- C. The portal filter formula may not refer to any globally stored fields, summary fields, or unstored calculation fields.
- D. There can be one unique filter formula applied for each portal state (Normal State, In Focus, Hover, or Pressed)
- E. Aggregate functions (e.g., Sum, Count) based on the portal's relationship will not be affected by the portal's filter formula.

Answer: E

Question No : 9

Given a custom function created in FileMaker Pro 12 Advanced defined as Explode (str):

```
Case ( Length ( str ) > 1 ;  
  Explode ( Left ( str ; Length ( str ) - 1 ) )  
  & "¶" &  
  Left ( str ; Length ( str ) - 1 ) ;  
  str )
```

What is the result of Explode ("Bob")?

- A. Bo
- B
- B. B
- Bo
- Bo
- C. B
- B
- Bo

- D. B
- Bo
- Bob
- E. Bob
- Bo
- B

Answer: C

Question No : 10

Which two statements are true about the [Full Access] privilege set in a FileMaker Pro 12 database? (Choose two.)

- A. It is the only privilege set that can use Custom Functions.
- B. It is the only privilege set that can view the Relationships Graph.
- C. It is the only privilege set that can modify field options in Table View.
- D. It can be deleted only if another full access privilege set has been created.

Answer: B,C

Question No : 11

Which two statements are true when a script is installed on a window using the Install OnTimer Script step? (Choose two.)

- A. The window must be closed to uninstall the script.
- B. The script will run only when the application is idle.
- C. The script will run on any new window created from the initial window.
- D. The script will pause when a window is hidden and resume when it is restored.
- E. In a window with more than one installed script, the scripts will be performed in the order in which they were installed.

Answer: B,C

Question No : 12

A user finds a set of records and saves the find criteria using the Saved Finds command.

The user then switches to a layout based on a different, unrelated table occurrence and attempts to perform the saved find.

What will happen next?

- A. The saved find does not appear in the list of Saved Finds.
- B. The user receives the alert No records match this set of find requests
- C. The saved find is available, but selecting it does not change the record set.
- D. The user receives the alert This set of find requests cannot be processed on this layout.
- E. The find is executed on the layout on which they saved the find, and the proper found set is displayed

Answer: A

Question No : 13

Given the following formula;

Substitute ("JoHn" ; ["J" ; "0"] ; ["0" ; "H"] ; ["H" ; "N"] ; ["N" ; "n"])

What is the result?

- A. nonn
- B. nnnn
- C. OoNn
- D. OHNn

Answer: A

Question No : 14

Given a FileMaker Pro 12 database with the following script:

```
Perform Find [Restore]
# Find restores criteria: Customer::Name [Smith]
Refresh Window
If [Get ( LastError )]
    Show Custom Dialog ["No records found"; "No records matched your find criteria."]
End If
```

Show Custom Dialog ["No records found"; "No records matched your find criteria."] End If

Which two statements are true if there are no records where the Customer::Name field contains "Smith"? (Choose two.)

- A. Unless a Set Error Capture [On] step is added at the beginning of the script. Get (LastError) will not return an error value.
- B. Adding a Set Error Capture [On] step to the beginning of the script will cause the script to exit after the custom dialog displays its error message.
- C. Adding a Set Error Capture [On] step to the beginning of the script has no effect on whether or not the custom dialog displays its error message.
- D. Adding a Set Error Capture [On] step to the beginning of the script will suppress the default FileMaker error stating that no records match this set of find requests.

Answer: C,D

Question No : 15

Given a FileMaker Pro 12 database with the following characteristics:

- ✍ named Clients.fmp12
- ✍ contains an active [Full Access] account named dev1 with the password pOwerU\$er
- ✍ contains a script named ListClients
- ✍ is hosted from a server with the IP address 17.182.101.135
- ✍ is hosted from a server with a DNS name FM_Host.FileMaker.com

Which statement is true when entering a URL into a web browser on a client machine connected to the same local area network?

- A. fmp12://dev1:pOwerU\$er@17.182.101.135/Clients.fmp12?script=ListClients¶m=TopClients&\$NumberToList=10 will open the database, but will ignore the parameter and local variable settings.
- B. fmp://dev1:pOwerU\$er@17.182.101.135/Clients.fmp12?script=ListClients¶m=TopClients&\$NumberToList=10 will open the database, run the script with a parameter of **TopClients**, and declare a local variable \$NumberToList with a value of 10.
- C. fmp://17.182.101.135/Clients.fmp12?script=ListClients¶m=TopClients&\$NumberToList=10 will prompt the user for login credentials, and, if the login is successful, open the database; but will ignore the script, parameter and local variable settings.
- D. fmp12script://dev1:pOwerU\$er@17.182.101.135/Clients.fmp12?script=ListClients¶m=TopClients&\$NumberToList=10 will open the database, run the script with a parameter of **TopClients**, and declare a local variable \$NumberToList with a value of 10.
- E. fmpscript://FM_Host.FileMaker.com/Clients.fmp12?script=ListClients¶m=TopClients&\$NumberToList=10 will prompt the user for login credentials, and, if the login is successful, open the database, run the script with a parameter of **TopClients**, and declare a local variable \$NumberToList with a value of 10.

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: B

Question No : 16

Which two statements are true about the Status Toolbar? (Choose two.)

- A. Record navigation via the Status Toolbar can be prevented by installing a Custom Menu.
- B. The name and/or function of a status toolbar button can be changed by installing a Custom Menu.
- C. The ability to add or remove buttons on the Status Toolbar can be prevented by installing a Custom Menu.
- D. Users whose privilege set has Available menu commands set to Minimum cannot customize the Status Toolbar.
- E. The initial settings of the Status Toolbar are stored with the database file and shared with all users of the hosted file.
- F. Customization of the Status Toolbar can be prevented by running a script which contains the Show/Hide Status Area [Lock; Show] script step.

Answer: A,B

Question No : 17

Which three statements are true about a Web Viewer object placed on a layout in a FileMaker Pro 12 file? (Choose three.)

- A. It can be defined as a button.
- B. It can support ActiveX controls (on Windows).
- C. It can display web pages in List View rows, but not Table View rows.
- D. It can be configured to show a Back button in the Web Viewer Setup dialog.
- E. It can be configured to log into a secured web sites by sending the current user's FileMaker Pro 12 account name and password.

Answer: A,B,C

Question No : 18

Which three field options may be set for a shadow field from an External ODBC Data Source? (Choose three.)

- A. Validation: unique value
- B. Validation: existing value
- C. Auto-enter: creation date
- D. Storage: Minimal Indexing
- E. Validation: validated by calculation
- F. Auto-enter: serial number, on commit

Answer: C,E,F

Question No : 19

Which two statements are true when FileMaker Server 12 is set to Secure connections to FileMaker Server? (Choose two.)

- A. Connections between FileMaker Server 12 and XML clients are encrypted.
- B. Secure Sockets Layer (SSL) is used by FileMaker Pro 12 client connections.
- C. Data transferred between FileMaker Server 12 and FileMaker Pro 12 is encrypted.
- D. Connections between FileMaker Server 12 Advanced and ODBC clients are encrypted.
- E. Connections between FileMaker Server 12 Web Publishing Engine and the web server are encrypted.

Answer: B,C

Question No : 20

A FileMaker Pro 12 file is hosted by FileMaker Server 12. In the course of working with the file, users run scripts that access and update a global variable called \$\$currentTransactionCount.

Which statement is true about this situation?