

SPSS

Exam IBMSPSSMBPDA

**IBM® SPSS® Modeler - Business Partner Data Analyst Associate
Exam**

Version: 6.0

[Total Questions: 25]

Question No : 1

The optional binning method in the Binning node uses a Supervisor field to determine the binning cut points.

- A. True
- B. False

Answer: A

Reference:

<ftp://ftp.software.ibm.com/software/analytics/spss/documentation/modeler/14.2/en/SourceProcessOutputNodes.pdf>

Question No : 2

System undefined values (\$null\$) are automatically defined as blank (missing) values in IBM SPSS Modeler.

- A. True
- B. False

Answer: B

Reference:

<ftp://ftp.software.ibm.com/software/analytics/spss/documentation/modeler/14.2/en/SourceProcessOutputNodes.pdf> - p.122

Question No : 3

Which method would be used on the Merge node in order to combine a file containing 100 products and a file containing 50 suppliers and retain only the matching records?

- A. Inner join
- B. Anti-join
- C. Full outer join
- D. Partial outer join


Answer: A

Reference:

<ftp://ftp.software.ibm.com/software/analytics/spss/documentation/modeler/14.2/en/SourceProcessOutputNodes.pdf>, p.72

Question No : 4

Which fields are created by this Derive dialog?



- A. Three fields representing the difference between Travel-1 and each of other Travel fields.
- B. No operation will be performed because the express is invalid.
- C. Four fields representing the difference in weeks between AcctEst and each of the travel