

CompTIA

Exam LX0-103

CompTIA Linux+ [Powered by LPI] Exam 1

Version: 6.0

[Total Questions: 120]

Topic break down

Topic	No. of Questions
Topic 1: System Architecture	16
Topic 2: Linux Installation and Package Management	22
Topic 3: GNU and Unix Commands	52
Topic 4: Devices, Linux Filesystems, Filesystem Hierachy Standard	30

Topic 1, System Architecture**Question No : 1 - (Topic 1)**

Which run levels should never be declared as the default run level when using SysV init? (Choose TWO correct answers.)

- A. 0
- B. 1
- C. 3
- D. 5
- E. 6

Answer: A,E

Question No : 2 - (Topic 1)

What of the following statements are true regarding /dev/ when using udev? (Choose TWO correct answers.)

- A. Entries for all possible devices get created on boot even if those devices are not connected.
- B. Additional rules for udev can be created by adding them to /etc/udev/rules.d/.
- C. When using udev, it is not possible to create block or character devices in /dev/ using mknod.
- D. The /dev/ directory is a filesystem of type tmpfs and is mounted by udev during system startup.
- E. The content of /dev/ is stored in /etc/udev/dev and is restored during system startup.

Answer: B,D

Question No : 3 - (Topic 1)

What information can the lspci command display about the system hardware? (Choose THREE correct answers.)

- A. Device IRQ settings
- B. PCI bus speed

- C. System battery type
- D. Device vendor identification
- E. Ethernet MAC address

Answer: A,B,D

Question No : 4 - (Topic 1)

Which of the following commands brings a system running SysV init into a state in which it is safe to perform maintenance tasks? (Choose TWO correct answers.)

- A. shutdown -R 1 now
- B. shutdown -single now
- C. init 1
- D. telinit 1
- E. runlevel 1

Answer: C,D

Question No : 5 - (Topic 1)

Which SysV init configuration file should be modified to disable the ctrl-alt-delete key combination?

- A. /etc/keys
- B. /proc/keys
- C. /etc/inittab
- D. /proc/inittab
- E. /etc/reboot

Answer: C

Question No : 6 CORRECT TEXT - (Topic 1)

Which command will display messages from the kernel that were output during the normal boot sequence?

Answer: dmesg, /bin/dmesg

Question No : 7 - (Topic 1)

Which of the following options for the kernel's command line changes the systemd boot target to rescue.target instead of the default target?

- A. systemd.target=rescue.target
- B. systemd.runlevel=rescue.target
- C. systemd.service=rescue.target
- D. systemd.default=rescue.target
- E. systemd.unit=rescue.target

Answer: E

Question No : 8 - (Topic 1)

Which of the following information is stored within the BIOS? (Choose TWO correct answers.)

- A. Boot device order
- B. Linux kernel version
- C. Timezone
- D. Hardware configuration
- E. The system's hostname

Answer: A,D

Question No : 9 - (Topic 1)

Which of the following commands will write a message to the terminals of all logged in users?

- A. bcast
- B. mesg
- C. print
- D. wall

E. yell

Answer: D

Question No : 10 CORRECT TEXT - (Topic 1)

Which file in the /proc filesystem lists parameters passed from the bootloader to the kernel? (Specify the file name only without any path.)

Answer: cmdline, /proc/cmdline

Question No : 11 - (Topic 1)

Which of the following commands reboots the system when using SysV init? (Choose TWO correct answers.)

- A. shutdown -r now
- B. shutdown -r "rebooting"
- C. telinit 6
- D. telinit 0
- E. shutdown -k now "rebooting"

Answer: A,C

Question No : 12 - (Topic 1)

Which of the following kernel parameters instructs the kernel to suppress most boot messages?

- A. silent
- B. verbose=0
- C. nomsg
- D. quiet

Answer: D

Question No : 13 - (Topic 1)

Which of the following are init systems used within Linux systems? (Choose THREE correct answers.)

- A. startd
- B. systemd
- C. Upstart
- D. SysInit
- E. SysV init

Answer: B,C,E

Question No : 14 - (Topic 1)

Which of the following statements is correct when talking about /proc/?

- A. All changes to files in /proc/ are stored in /etc/proc.d/ and restored on reboot.
- B. All files within /proc/ are read-only and their contents cannot be changed.
- C. All changes to files in /proc/ are immediately recognized by the kernel.
- D. All files within /proc/ are only readable by the root user.

Answer: C

Question No : 15 - (Topic 1)

During a system boot cycle, what program is executed after the BIOS completes its tasks?

- A. The bootloader
- B. The inetd program
- C. The init program
- D. The kernel

Answer: A

Question No : 16 - (Topic 1)

What is the first program that is usually started, at boot time, by the Linux kernel when using SysV init?

- A. /lib/init.so
- B. /sbin/init
- C. /etc/rc.d/rcinit
- D. /proc/sys/kernel/init
- E. /boot/init

Answer: B

Topic 2, Linux Installation and Package Management

Question No : 17 - (Topic 2)

Which of the following is correct when talking about mount points?

- A. Every existing directory can be used as a mount point.
- B. Only empty directories can be used as a mount point.
- C. Directories need to have the SetUID flag set to be used as a mount point.
- D. Files within a directory are deleted when the directory is used as a mount point.

Answer: A

Question No : 18 CORRECT TEXT - (Topic 2)

Which command will disable swapping on a device? (Specify ONLY the command without any path or parameters.)

Answer: swapoff, /sbin/swapoff

Question No : 19 - (Topic 2)

When removing a package, which of the following dpkg options will completely remove the files including configuration files?