

TB0-110

TB0-110

**TIBCO Collaborative Information Manager™ 7
Exam**

Version 13.5

TB0-110

Topic 1, Volume A

QUESTION NO: 1

The workflow activities that support parallel processing can be tuned for performance. This can be achieved by configuring a parameter for the activity RecordPerAsyncCall. What is the default value for this parameter?

- A. 10
- B. 20
- C. 50
- D. 100

Answer: B

QUESTION NO: 2

Which TIBCO CIM utility is used to apply a hot fix?

- A. tibcoUtil
- B. hotfixUtil
- C. migrateUtil
- D. customUtil
- E. tibcoCIMUtil

Answer: A

QUESTION NO: 3

TBO-110

The following sample section of a rulebase will result in the displaying of which alerts on the UI?

```
<?xml version="1.0" encoding="UTF-8"?>
<rulebase metaversion="0.1">
<name>testAssignmentNames</name>
<description>Test displaying assignment levels</description>
<information_threshold>10</information_threshold>
<warning_threshold>10</warning_threshold>
<severity>10</severity>
```

- A. Warning Only
- B. Information Only
- C. Severe Error Only
- D. No alerts will be presented

Answer: C

QUESTION NO: 4

To enable text search continuous indexing, the Text Indexing Enabled property is set to which option?

- A. Online
- B. Offline
- C. Discrete
- D. Continuous
- E. User Enabled

Answer: B

TB0-110

QUESTION NO: 5

Which three statements are true about context variables for a rulebase? (Choose three.)

- A. The SESSION object requires explicit declaration in the rulebase.
- B. Previous confirmed and unconfirmed version records can be accessed.
- C. Attribute access can be restricted to certain roles using context variables.
- D. RECORD_ACTION is a special variable and can be directly used for operation.

Answer: B,C,D

QUESTION NO: 6

Which two statements are true about Subflow and SpawnWorkflow activities? (Choose two.)

- A. Both Subflows and SpawnWorkflows can be nested.
- B. Subflows can be nested, but SpawnWorkflows can not.
- C. Both execution modes are supported by both activities.
- D. SpawnWorkflow is ASYNCHR and Subflow is SYNCHR.
- E. Subflow is ASYNCHR and SpawnWorkflow is SYNCHR.

Answer: A,C

QUESTION NO: 7

Which two configurable settings are related to workflow in TIBCO CIM Configurator? (Choose two.)

- A. Workflow Cache Size

TB0-110

- B. Workflow Timeout Value
- C. Workflow Restart Attempts
- D. Workflow Manager Directory
- E. Workflow File Extension Default

Answer: C,D

QUESTION NO: 8

Which three statements are true about the catalogs when used for extracting the data from a repository? (Choose three.)

- A. You can choose which attributes are to be extracted.
- B. You can choose which record status should be included.
- C. You can choose subset rules defined on a different master catalog.
- D. You can choose any rulebase if there are any transformation rules to be applied.

Answer: A,B,D

QUESTION NO: 9

What can be used to retrieve all records that match a value across all repositories?

- A. Text Search
- B. Event Search
- C. Subset Rules
- D. Record Search

Answer: A

TB0-110

QUESTION NO: 10

Which activity must be used to send an e-mail message?

- A. Send
- B. HandleMessaging
- C. SendProtocolMessage
- D. ProcessServiceMessage

Answer: A

QUESTION NO: 11

You delete the log files in the MQ_COMMON_DIR/Work directory. What is affected?

- A. Elink log
- B. Event log
- C. Record History
- D. Repository History

Answer: B

QUESTION NO: 12

A string type attribute that is set to 0 length will default to what actual length?

- A. 32 characters

TB0-110

- B. 512 characters
- C. 256 characters
- D. 1000 characters

Answer: C

QUESTION NO: 13

Which three Programming Operators are supported while defining new conditions and actions for Business Process Rules? (Choose three.)

- A. equals
- B. lessThan
- C. notEqualTo
- D. greaterThanEqual

Answer: A,B,D

QUESTION NO: 14

Which of the following parameters are required to retrieve a deleted record using a web service query?

- A. RECORD_ID and ACTIVE
- B. RECORD_STATE and ACTIVE
- C. RECORD_VERSION and ACTIVE
- D. RECORD_ID and RECORD_STATE
- E. No parameters settings are required

TB0-110

F. RECORD_VERSION and RECORD_ID

Answer: B

QUESTION NO: 15

What are six types of command qualifiers supported by MasterCatalogRecord web services?
(Choose six.)

- A. Add
- B. Modify
- C. Delete
- D. MetaData
- E. ValidValues
- F. ValidValuesInit
- G. Validate/Process

Answer: A,B,D,E,F,G

QUESTION NO: 16

Which two values can be set for a user via the User Accounts Administration page? (Choose two.)

- A. Date Format
- B. Default Repository
- C. Activate Delegation
- D. Activate Auto-Approval

TB0-110

E. Default Catalog Format

F. Activate Out-Of-Office Notification

Answer: A,C

QUESTION NO: 17

Which three are supported command types for the MasterCatalogRecord web services? (Choose three.)

A. Add

B. Copy

C. Query

D. Modify

E. Compare

Answer: A,C,D

QUESTION NO: 18

Which of the following statements is incorrect when using a database table as a CIM data source?

A. Any new records added to the table are immediately available to CIM

B. The table or view must reside in the same database instance that CIM is using

C. If the data source contains any attributes of type date, all such attributes must have the same date format

D. It is not possible to provide CIM specific column names for the table when defining the data source properties

TB0-110

Answer: B

QUESTION NO: 19

Which two can an input map use to assign an attribute a value? (Choose two.)

- A. hard-coded value
- B. a concatenation of two or more datasource columns
- C. an expression based on the value of a child record attribute
- D. a user-supplied value provided during execution of the import event

Answer: A,B

QUESTION NO: 20

Which three are valid topic names with TIBCO CIM? (Choose three.)

- A. T_ECM_CORE_ADMIN
- B. T_ECM_CORE_RULE_CACHE
- C. T_ECM_CORE_OBJECT_CACHE
- D. T_ECM_CORE_REPOSITORY_CACHE

Answer: A,B,C

QUESTION NO: 21

Where are the login credentials for the TIBCO CIM Configurator stored?