

# Citrix

## Exam 1Y0-371

### Designing, Deploying and Managing Citrix XenMobile 10 Enterprise Solutions

Version: 6.0

[ Total Questions: 143 ]

**Topic break down**

<b>Topic</b>	<b>No. of Questions</b>
<b>Topic 1: Installing the Components of a XenMobile 10 Enterprise Solution</b>	<b>18</b>
<b>Topic 2: Designing a XenMobile 10 Enterprise Solution</b>	<b>20</b>
<b>Topic 3: Configuring and Integrating the Components of a XenMobile 10 Enterprise Solution</b>	<b>38</b>
<b>Topic 4: Managing and Maintaining the Components of a XenMobile 10 Enterprise Solution</b>	<b>67</b>

**Topic 1, Installing the Components of a XenMobile 10 Enterprise Solution****Question No : 1 - (Topic 1)**

A Citrix Engineer installed XenMobile Mail Manager and needs to ensure that ActiveSync clients are quarantined if they are NOT enrolled in the XenMobile Server.

Which Default Rule should the engineer choose in this scenario?

- A. Allow
- B. Block
- C. Unchanged
- D. Quarantine

**Answer: C**

**Question No : 2 - (Topic 1)**

Which two components are required in order for a Citrix Engineer to use the MDX Toolkit to wrap Android applications for production use? (Choose two.)

- A. Command-line tools
- B. Enterprise certificate from Symantec
- C. Android Developer Tools and Android SDK
- D. Android Just-in-Time Compiler
- E. A keystore certificate

**Answer: C,E**

**Question No : 3 - (Topic 1)**

A Citrix Engineer is testing enrollment and notices that while Mobile Device Management (MDM) enrollment succeeds, Mobile Application Management (MAM) enrollment fails.

A possible cause of this issue is that ports \_\_\_\_\_ from the \_\_\_\_\_ are NOT open. (Choose the correct set of options to complete the sentence.)

- A. 636 or 389; NetScaler
- B. 443 or 4443; NetScaler
- C. 636 or 389; XenMobile Server
- D. 443 or 4443; XenMobile Server

**Answer: A**

**Question No : 4 - (Topic 1)**

What are two valid reasons for deploying a XenMobile Server in the Demilitarized Zone (DMZ)? (Choose two.)

- A. A XenMobile Server is a hardened, FIPS-capable Linux appliance.
- B. A XenMobile Server deployed in the DMZ reduces the number of external firewall rules that need to be implemented.
- C. A XenMobile Server deployed in the DMZ reduces the risk of connectivity issues between the NetScaler and the XenMobile Server.
- D. A XenMobile Server deployed in the DMZ can serve as a Secure Ticket Authority (STA) for WorxMail.

**Answer: A,C**

**Question No : 5 - (Topic 1)**

Scenario: A Citrix Engineer needs to implement SSL Offload in which traffic is encrypted all the way from the client device to the XenMobile Server. The vServer and service configurations are listed below.

Load balancing vServers:

- Protocol: SSL, Port: 443
- Protocol: SSL, Port: 8443

Services:

- Protocol: SSL, Port: 443 (Bound to 443 vServer)
- Protocol: SSL, Port: 8443 (Bound to 8443 vServer)

The current configuration is NOT working properly.

What should the engineer adjust to implement SSL Offload successfully?

- A. Bind Port 80 services to both the 443 and 8443 load-balancing vServers but make no other changes.
- B. Bind the port 8443 service to the port 443 vServer; the port 443 service is NOT needed.
- C. Bind the port 443 service to the port 8443 vServer; the port 8443 service is NOT needed.
- D. Bind Port 80 services to both the 443 and 8443 load-balancing vServers and open port 80 on the XenMobile Server IP Tables firewall.

**Answer: B**

**Question No : 6 - (Topic 1)**

A Citrix Engineer needs to design a multi-node, scalable XenMobile solution.

Which database type should the engineer choose to meet the needs of this deployment?

- A. Microsoft SQL
- B. PostgreSQL
- C. Oracle
- D. MySQL

**Answer: A**

**Question No : 7 - (Topic 1)**

A Citrix Engineer must delegate enrollment invitation management to Level 1 administrators.

What should the engineer do to accomplish this objective?

- A. Configure AAA groups on the NetScaler Gateway; allow only this group to access the console over port 4443.
- B. Create a local group on the XenMobile Server; allow only Level 1 administrators access to it.

- C. Configure a Delivery Group within the XenMobile Server; deploy the security policies only to the dedicated group of Level 1 administrators.
- D. Configure Role-based Access Control (RBAC); assign only the desired permissions to the Active Directory group where the Level 1 administrators reside.

**Answer: D**

**Question No : 8 - (Topic 1)**

Scenario: A Citrix Engineer needs to deploy a XenMobile solution for a large organization. The organization will use XenMobile to manage Android and iOS devices.

To provide resilience, NetScaler appliances will communicate with XenMobile Servers. The engineer has deployed all necessary infrastructure and opened the required firewall ports. To load balance mobile device management traffic, the engineer has configured NetScaler to use SSL\_Bridge to communicate with a XenMobile Server cluster.

Which persistence method should the engineer configure to facilitate consistent communication between the NetScaler and the XenMobile Servers?

- A. SSLSESSION
- B. CUSTOMSERVERID
- C. DESTIP
- D. COOKIEINSERT

**Answer: A**

**Question No : 9 - (Topic 1)**

Which two types of certificates will require a restart when uploaded to a XenMobile Server using the XenMobile Console? (Choose two.)

- A. SSL Listener
- B. Root
- C. Apple Push Notification service (APNs)
- D. Intermediate
- E. Device Certificate Authority (CA)

**Answer: A,C**

**Question No : 10 - (Topic 1)**

Scenario: A customer would like to configure a single NetScaler Gateway that facilitates access to XenMobile and XenApp/XenDesktop resources from iOS and Android mobile devices. The customer also plans for users to access XenApp and XenDesktop resources by using a web browser from other endpoints.

The following Session Policies and expressions have been configured on NetScaler:

- Policy 1: REQ.HTTP.HEADER User-Agent NOTCONTAINS CitrixReceiver &&  
REQ.HTTP.HEADER Referer EXISTS

- Policy 2: REQ.HTTP.HEADER User-Agent CONTAINS CitrixReceiver &&  
REQ.HTTP.HEADER X-Citrix-Gateway EXISTS

A Citrix Engineer is asked to create a new Session Profile for users accessing resources through web browsers on their endpoint devices.

The profile should be bound to \_\_\_\_\_ and direct users to \_\_\_\_\_. (Choose the correct set of options to complete the sentence.)

- A. Policy 1; the XenMobile Server
- B. Policy 1; StoreFront
- C. Policy 2; the XenMobile Server
- D. Policy 2; StoreFront

**Answer: B**

**Question No : 11 - (Topic 1)**

In which way does implementing Worx PIN improve the user experience while maintaining Enterprise security?

- A. It streamlines the user experience when the Active Directory password is changed.
- B. It allows the user to use a unique, synchronized PIN for device and application access without modifying corporate password policy.
- C. It reduces the number of times the user has to authenticate to launch managed applications.

D. It reduces the complexity of daily password entry without modifying corporate password policy.

**Answer: D**

**Question No : 12 - (Topic 1)**

Which XenMobile deployment option would pose the greatest security risk?

- A. SSL Bridge at the NetScaler load balancing tier with the XenMobile Server in the Demilitarized Zone (DMZ).
- B. SSL Bridge at the NetScaler load balancing tier with the XenMobile Server on the internal network segment.
- C. SSL Offload at the NetScaler load balancing tier with the XenMobile Server in the Demilitarized Zone (DMZ).
- D. SSL Offload at the NetScaler load balancing tier with the XenMobile Server on the internal network segment.

**Answer: B**

**Question No : 13 - (Topic 1)**

A Citrix Engineer must deploy a scheduling policy to \_\_\_\_\_ and \_\_\_\_\_ devices in order to allow these devices to check in automatically without further intervention by the engineer. (Choose the two correct options to complete the sentence.)

- A. iOS
- B. Android
- C. Windows Phone 8.1
- D. Symbian

**Answer: B,D**

**Question No : 14 - (Topic 1)**

Scenario: A Citrix Engineer is configuring the NetScaler appliance for SSL offloading. The XenMobile Server is named xms.domain.com.



The following is a list of the certificates installed on the NetScaler:

- \*.domain.com - wildcard server certificate
- cacerts.pem - devices certificate
- xms.domain.com - server certificate for the XenMobile Server
- dc-1-CA.cer - Root certificate for \*.domain.com

The engineer needs to configure an SSL Load Balancing virtual server for HTTPS 443 bound with \_\_\_\_\_ and the XenMobile Server service to use \_\_\_\_\_. (Choose the correct set of options to complete the sentence.)

- A. \*.domain.com and dc-1-CA.cer; HTTP 80
- B. \*.domain.com and cacerts.pem; HTTPS 443 bound with xms.domain.com
- C. \*.domain.com and cacerts.pem; HTTP 80
- D. \*.domain.com and dc-1-CA.cer; HTTPS 443 bound with xms.domain.com

**Answer: C**

**Question No : 15 - (Topic 1)**

Scenario: A Citrix Engineer wants to provide access from WorxWeb to internal corporate websites that require client certificate authentication. The engineer has configured the NetScaler with Clientless Access to "On", and Plug-in type to Windows / Mac OSX.

Which two settings should the engineer configure within the WorxWeb MDX policies to ensure that users could access these sites successfully without errors? (Choose two.)

- A. Set Network access to "Tunneled to internal network".
- B. Set VPN to "Full VPN tunnel".
- C. Set VPN to "Secure browse".
- D. Set an Allowed or blocked websites policy.

**Answer: A,B**

**Question No : 16 - (Topic 1)**

Scenario: A Citrix Engineer is designing a XenMobile Enterprise solution to support

approximately 30,000 device connections. The environment must be able to sustain the failure of one node in a cluster at any given time for redundancy and maintenance purposes. Each server's specifications include four vCPUs and 16 GB of RAM.

What is the minimum number of XenMobile Servers that the engineer should recommend as part of this cluster?

- A. Two
- B. Three
- C. Four
- D. Five

**Answer: C**

**Question No : 17 - (Topic 1)**

What are two server requirements for StorageZone Controllers? (Choose two.)

- A. Application Server role
- B. Web Server IIS role
- C. ASP.NET
- D. Windows PowerShell

**Answer: B,C**

**Question No : 18 - (Topic 1)**

A Citrix Engineer needs to allow junior administrators to perform selective wipe requests from a single console for users who are members of the IT and HR departments.

What should the engineer do to accomplish this objective?

- A. Use two XenMobile instances, one for IT and HR users, and another instance for all other users.
- B. Use XenMobile Role-based Access Control (RBAC) to delegate the selective wipe permission to the junior administrative team, only targeting users in the IT and HR departments.
- C. Use XenMobile deployment rules to assign the selective wipe task to the junior